

EVERY DAY SINCE 1946

LR Motor Shop Repairs

Job Number 100064

Prepared for Entergy/AP&L (10395)

1100 White Bluff Rd Redfield AR 72132

Table of Contents

 Gearbox Repair Report
 1.0

 AC Recondition As Found - MOTOR SHOP LR
 AC Recondition - Rev. 2: F1207110108
 2.0



Hi-Speed Industrial Service 7030 Ryburn Dr Millington, Tn 38053 901-873-5300

100064

Entergy White Bluff

Master Power Transmission

FolderID: 100064

FormID: 14105010

Gearbox Repair Report

Entergy/AP&L (10395) 1100 White Bluff Rd

Redfield, AR 72132

Priorities Found:) 11 - High	🔵 14 - Good
General		

- 1. Job Number
- 2. Customer
- 3. Report Date

Nameplate Information

4. Manufacturer







5.	Horsepower	0.25	
6.	Serial #	7854651001GQ	
7.	Model #	35W654-5M879958 56CG12A192	
8.	Input Speed	1725	

9.	Output Speed	9
10.	Ratio	192
11.	Туре	
12.	Coupling Type	
13.	Gearbox Application	
Initial	Evaluation	
14.	Oil Wear	
15.	Oil Physical	(F) Fail
16.	Oil Contaminants	(F) Fail
	Metal particles	

17. Gear Wear







18. Physical Gear Condition	(P) Pass
19. Gear Contamination	(P) Pass
20. Bearing Wear	(F) Fail
Bearings are worn	
21. Bearing Physical Condition	(F) Fail
22. Bearing Contamination	(F) Fail
23. Seal Wear	(F) Fail
24. Seal Physical Condition	(F) Fail
25. Seal Contamination	
26. Environmental Conditions	
27. Signs of excessive heat	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

(P) Pass

_	. Signs of lubricant leaks	(Y) Yes
20	Into the stator . Moisture Present	
) 29 30		(N) No
	. Ambient Temperature . Humidity	
	-	
32	•	
33		(Y) Yes
34	, , ,	
35	1 00	anlined shaft
36		splined shaft
37		
) 38	1 5 5	(P) Pass
39	5	(P) Pass
40	0	(P) Pass
41		(N) No
42		
43		
44		
45	0	(F) Fail
46		(P) Pass
47	,, , , , , , , , , , , , , , , , , , ,	
48		
49	Appearance of lubricant	
	Dark and has metal particles	
50		(N) No
51		(P) Pass
52		
53		
54		(P) Pass
55	,	(Y) Yes
56		(P) Pass
57	. Degree of wear	
58		(P) Pass
	. Type of gear tooth contact	
Com	ments	
60	. Gearbox Comments	
	Ball bearings on input worm gear failed. Oil contaminated with metal particles	



AC Recondition As Found

Hi-Speed Industrial Service 7030 Ryburn Dr Millington, Tn 38053 901-873-5300

> FolderID: 100064 FormID: 14105022



Entergy/AP&L (10395) 1100 White Bluff Rd Redfield, AR 72132

AC Recondition	C Recondition - Rev. 2	
Location:	MOTOR SHOP LR	
Serial Number:	F1207110108	

Description: 0.25HP BALDOR 1800RPM 56YZ

Hi-Speed Job Number:	100064
Manufacturer:	Baldor
Product Number:	35W654-0083G1
Serial Number:	F1207110108
HP/kW:	0.25 (HP)
RPM:	1725 (RPM)
Frame:	56YZ
Voltage:	230 / 460
Current:	1/0.5
Phase:	Three
Hz:	60 (Hz)
Service Factor:	1.15
Enclosure:	TENV
J-box Included:	Complete
Date Received:	07/18/2022
Bearing RTDs:	No
Stator RTDs:	No
Repair Stage:	Final
Heaters:	No
Winding Type :	Random Wound
Bearing Type:	Rolling Element

Priorities Found: **2 - High**

🔵 3 - Good

- **Overall Condition**
 - 1. Report Date
 - 2. Nameplate Picture



3. Photos of all six sides of the machine.













	4.	Describe the Overall Condition of the Equipment as Received	
	5.	Distance from the end of the shaft to the Coupling/Sheave	
In	itial	Mechanical/Electrical	
	6.	Does Shaft Turn Freely?	(No) No
	7.	Does Shaft Have Visible Damage?	(No) No
	8.	Assembled Shaft Runout	
	9.	Assembled Shaft End Play	
	10.	Air Gap Variation <10%	
	11.	Lead Condition	(P) Pass



13. Frame Condition



14.	Fan Condition			
15.	Broken or Missing Components			
Initial	Electrical Inspection			
16.	Insulation Resistance/Megger			0 Megohms
17.	Winding Resistance			
	1-2	1-3	2-3	
18.	Perform Surge Test			(F) Fail

19. Stator Condition

6203 rsr



Mechanical Inspection	
20. Drive End Bearing Number-	spline
21. Drive End Bearing Qty.	0
22. Drive End Bearing Type	
23. Drive End Lubrication Type	
24. Drive End Bearing Insulation or Grounding Device?	
25. Drive End Wavy Washer/Snap-Ring Other Retention Device?	
26. Drive End Bearing Condition	

27. Opposite Drive End Bearing Number-



28. Opposite Drive End Bearing Qty.	1
29. Opposite Drive End Bearing Type	(Ball) Ball Bearing
30. Opposite Drive End Lubrication Type	(Grease) Grease Lubricated
21 Opposite Drive End Pagring Insulation or Crounding Davise?	

31. Opposite Drive End Bearing Insulation or Grounding Device?



33. (Opposite Drive End Bearing C	ondition	worn
34. I	Drive End Seal		cr8624
35. (Opposite Drive End Seal		
Rotor I	nspection		
36. 1	Rotor Type/Material		(Squirrel Aluminum) Squirrel Cage Aluminum Die Cast
-12-			
37. 0	Growler Test		(Pass) Pass
-	Growler Test Number of Rotor Bars		(Pass) Pass 41
38. 1			
38. 1 39. 1 40. 1	Number of Rotor Bars Rotor Condition List the Parts needed for the R		41
38. 1 39. 1 40. 1	Number of Rotor Bars Rotor Condition		
38. 1 39. 1 40. 1 41. 5	Number of Rotor Bars Rotor Condition List the Parts needed for the R		41
38. 1 39. 1 40. 1 41. 3	Number of Rotor Bars Rotor Condition List the Parts needed for the R Signature of Technician that D		41
38. 1 39. 1 40. 1 41. 5 Mechar 42. 5	Number of Rotor Bars Rotor Condition List the Parts needed for the R Signature of Technician that D		41 Trevor Hall

44.	44. Coupling Fit Closest to Bearing Housing				
	0 Degrees	90 Degrees	120 Degrees		
45.	Coupling Fit Closest to the end of the	Shaft			
	0 Degrees	60 Degrees	120 Degrees		
46.	Drive End Bearing Shaft Fit				
	0 Degrees	60 Degrees	120 Degrees		
47.	Drive End Bearing Shaft Fit Condition				
48.	Opposite Drive End Bearing Shaft Fit				
	0 Degrees	60 Degrees	120 Degrees		
	0.6694	0.6694	0.6694		

	B		
		7	
F			é
	6	-	
	des et al	123	2

49.	Opposite Drive End Bearing Shaft Fit Condition			(P) Pass		
50.	Shaft Air Seal Fits					
	Drive End Air Seal	Opposite Drive End Air Seal				
Mecha	Mechanical Fits- Bearing Housings					
51.	Drive End - Endbell Bearing Fit					
	0 Degrees	60 Degrees	120 Degrees			

52. Drive End - Endbell Bearing Fit Condition

53	Opposite Drive End - Endbell Bearing	n Fit		
55.		60 Degrees	120 Dogroop	
	0 Degrees 1.5752	1.5752	120 Degrees 1.5752	
54.		g Fit Condition		(P) Pass
55.	•			
	Drive End Bearing Cap	Opposite Drive End Bearing Cap		
56.	End Bell Air Seal Fits			
	Drive End Air Seal	Opposite Drive End Air Seal		
57. 58.	List Machine Work Needed Below Technician			Trevor Hall
-		r.l.		Trevor Hall
58.	Technician	Z.C.		Trevor Hall
58. Dyna		rll		Trevor Hall
58. Dyna	Technician	Balance Grade		Trevor Hall
58. Dyna 59.	Technician mic Balance Report Rotor Weight and Balance Grade			Trevor Hall
58. Dyna 59.	Technician Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight			Trevor Hall
58. Dyna 59. 60.	Technician Techni	Balance Grade Opposite Drive End		Trevor Hall
58. Dyna 59. 60.	Technician Technician Technician Technician Mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End	Balance Grade		Trevor Hall
58. Dyna 59. 60. 61. 62.	Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician	Balance Grade Opposite Drive End		Trevor Hall
58. Dyna 59. 60. 61. 62. Rewi	Technician Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician md	Balance Grade Opposite Drive End Opposite Drive End		Trevor Hall
58. Dyna 59. 60. 61. 62. Rewi	Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician	Balance Grade Opposite Drive End Opposite Drive End		Trevor Hall
58. Dyna 59. 60. 61. 62. Rewi	Technician Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician md	Balance Grade Opposite Drive End Opposite Drive End		Trevor Hall
58. Dyna 59. 60. 61. 62. Rewi 63.	Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician nd Core Test Results - Watts loss per Pr Pre-Burnout	Balance Grade Opposite Drive End Opposite Drive End		Trevor Hall
58. Dyna 59. 60. 61. 62. Rewi 63.	Technician mic Balance Report Rotor Weight and Balance Grade Rotor Weight Initial Balance Readings Drive End Final Balance Readings Drive End Technician nd Core Test Results - Watts loss per Par	Balance Grade Opposite Drive End Opposite Drive End		Trevor Hall

66	Post Rewind Polarization Index					
	Post Rewind Foralization index					
07.		4.0	0.0			
	1-2	1-3	2-3			
68	Post Rewind Surge Test					
	Post Rewind Hi-Pot					
	Technician					
	Cause of Failure					
	Failure locations					
71.	Windings and opposite drive bearing					
72	Root cause of failure					
12.	Windings got hot, oil saturated and the	en shorted				
Mech	anical Fits- Rotor - Post Repair					
	Shaft Runout Post Repair					
	Rotor Runout Post Repair					
74.	Drive End Bearing Fit	Rotor Body	Opposite Drive End Bearing			
	Drive Life Dearing Fit	Rotor Body	Opposite Drive Life Bearing			
75.	Coupling Fit Closest to Bearing Hous	ing Post Repair				
	0 Degrees	90 Degrees	120 Degrees			
		<u> </u>	<u> </u>			
76.	Coupling Fit Closest to the end of the	e Shaft Post Repair				
	0 Degrees	60 Degrees	120 Degrees			
77.	Drive End Bearing Shaft Fit Post Rep					
	0 Degrees	60 Degrees	120 Degrees			
78	Opposite Drive End Bearing Shaft Fir	Post Renair				
70.	0 Degrees	60 Degrees	120 Degrees			
	0 Degrees	ou Degrees	120 Degrees			
79.	Shaft Air Seal Fits Post Repair					
	Drive End Air Seal	Opposite Drive End Air Seal				
80.	Shaft Repair Sign-off					
Mech	lechanical Fits- Bearing Housings - Post Repair					
81.	Drive End - Endbell Bearing Fit Post	Repair				
	0 Degrees	60 Degrees	120 Degrees			
82	Opposite Drive End - Endbell Bearing	n Fit Post Repair				
02.	0 Degrees	60 Degrees	120 Degrees			
	0 Degrees	00 Degrees	120 Degrees			
83.	Bearing Cap Condition Post Repair					
	Drive End Bearing Cap	Opposite Drive End Bearing Cap				
84.	End Bell Air Seal Fits Post Repair					
	Drive End Air Seal	Opposite Drive End Air Seal				
85	End Bell Repair Sign-off					
Asser	· +					
Assel	пыу					

86. Photograph All Major Components prior to assembly



87.	Final Insulation Resistance Test			
88.	Assembled Shaft Endplay			
89.	Assembled Shaft Runout			
90.	Test Run Voltage			
	Volts	Volts	Volts	
91.	Test Run Amperage			
	Amps	Amps	Amps	
92.	92. Drive End Vibration Readings - Inches Per Second			
02.	Horizontal	Vertical	Axial	
	Tionzonia	Ventical		
93.	03. Opposite Drive End Vibration Readings - Inches Per Second			
	Horizontal	Vertical	Axial	
94.	Ambient Temperature - Fahrenheit			
95.	Drive End Bearing Temps - Fahrenhei	t		
	5 Minutes	10 Minutes	15 Minutes	
96.	96. Opposite Drive End Bearing Temps - Fahrenheit			
	5 Minutes	10 Minutes	15 Minutes	
	Final Test Run Sign-off			
98.	Document Final Condition with Picture	es after paint		
99.	Final Pics and QC Review			



STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. <u>APPLICABILITY.</u> The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. <u>SCOPE OF GOODS AND/OR SERVICES.</u> The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only be effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. DELIVERY OF GOODS AND/OR SERVICES. Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- 6. DELIVERY SITE AND TIME FOR PERFORMANCE. Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. WARRANTIES. Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

TermsAndConditions

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. LIMITATION OF DAMAGES. HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY</u>. The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. <u>GOVERNING LAW AND JURISDICTION.</u> Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. <u>ABANDONED EQUIPMENT.</u> Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER</u>. No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. <u>ASSIGNMENT.</u> The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. <u>NO INDIVIDUAL LIABILITY</u>. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.