

EVERY DAY SINCE 1946

LR Motor Shop Repairs

Job Number 101802

Prepared for Baldor Warranty Division

685 Mid America Blvd Hot Springs AR 71913

Table of Contents

AC Random Coil Rewind Report - MOTOR SHOP LR

AC Recondition Repair Report

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

1.0

2.0



FolderID: 101802

FormID: 17762533

AC Random Coil Rewind Report

Baldor Warranty Division 685 Mid America Blvd

685 Mid America Blvd Hot Springs, AR 71913

MOTOR SHOP LR

Priorities Found:

THOMAGE	Priorities Found:		
Gener	al		
1.	Job Number		
2.	Report Date		
3.	Customer		
Stator	Winding		
4.	Core Length		
5.	Core ID		
6.	Back Iron Depth		
7.	Slot Depth		
8.	Tooth Width		
9.	Number of Vents		
10.	Vent Width		
11.	Before Burnout Core loss		
12.	Flux Before Burnout		
13.	Watts before burnout		
14.	Watts loss per lb. before burnout		
15.	After Burnout Core Loss		
16.	Flux After burnout		
17.	Watts After Burnout		
18.	Watts loss per Ib After Burnout		
19.	Core Iron Condition		
20.	RTD's		
21.	RTD's Reading		
22.	Motor Heaters		
23.	Heater Qty.		
24.	Heater Voltage		
25.	Heater Wattage		
26.	Thermistors		
27.	Number of Poles		
28.	Slots		
29.	Number of Coils		
30.	Coil Weight		
31.	Lead Markings		
32.	Grouping		
33.	Multiple Wires		
34.	Wire Size		

35.	Turns per coil
36.	Pitch 1 to:
37.	Connection
38.	Lead Length
39.	Lead Size
40.	Number of Leads
41.	Megger Reading After Rewind
42.	Coil Machine Slot
43.	Coil Machine Tip
44.	Coil Machine Pitch
45.	Hi Pot Reading After Rewind
46.	Surge Pattern After Rewind
47.	Service Technician



Baldor Warranty Division 685 Mid America Blvd

Hot Springs, AR 71913

Priorities Found:		2 - High
-------------------	--	----------

	15	-	Good	
--	----	---	------	--

Gener	ral		
1.	Job Number	101802	
2.	Report Date	09/01/2023	
3.	Customer	welspun	
Name	Plate Information		

4. Manufacturer









Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Hi-Speed Industrial Service 7030 Ryburn Dr Millington, Tn 38053 901-873-5300

> FolderID: 101802 FormID: 17762760

Baldor




























6. Serial Number C2301261462 7. Horsepower 50 HP 8. KW 460 Volts 9. Volts 460 Volts 10. Amps 58 Amps 11. RPM 1775 RPM 12. Frame 326T 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 1 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size 2 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs 24. Winding Rtd's Condition 2 25. Winding Rtd's Condition 2 26. Shaft Run Out yes 27. Does Shaft Tur Freely yes 28. Does Shaft Run Out yes 29. Bearing Rtd's no 30. Bearing Rtd's Condition (P) Pass 33. Frame Condition <th></th> <th>5.</th> <th>Model</th> <th>ZDVSM4115T</th>		5.	Model	ZDVSM4115T
7. Horsepower 50 HP 8. KW 9. Volts 460 Volts 10. Amps 58 Amps 11. RPM 1775 RPM 12. Frame 326T 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 1 1 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size 9 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs Avoiding RTd's Condition (P) Pass 2 24. Winding RTd's Condition 10 25. Winding RTd's Condition 10 26. Does Shaft Tum Freely yes 28. Does Shaft Nun Out 10 29.		-		
8. KW 9. Volts 9. Volts 10. Amps 10. Amps 11. RPM 11. RPM 12. Frame 13. Enclosure 14. Cycles 15. Phase 16. Service Factor 17. Motor Mount Position 17. Motor Mount Position 18. Number of Leads 9 1. 19. Lead Length 10. Lead Size 21. Lead Condition 22. Lead Markings 23. Lug Size, Condition, and Type No lugs 24. Winding Rtd's Condition 25. Winding Rtd's Condition 26. Shaft Run Out 27. Dees Shaft Tum Freely 28. Dees Shaft Tum Freely 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination None 32. <tbr> Frane Condition <td></td><td></td><td></td><td></td></tbr>				
9. Volts 460 Volts 10. Amps 58 Amps 11. RPM 1775 RPM 12. Frame 3261 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size colored leads 1-9 21. Lead Condition, and Type No lugs colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's gets 25. Winding Rtd's Condition 9 26. Shaft Turn Freely yes 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Freely yes 29. Bearing Rtd's Condition 1 30. Bearing Rtd's Condition 1 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass				50 m
10. Amps 58 Amps 11. RPM 1775 RPM 12. Frame 3261 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 1 17. Motor Mount Position F1 Initial Inspection 9 19. Lead Length 18 Inches 20. Lead Size Colored leads 1-9 21. Lead Condition, and Type No lugs colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's 2 25. Winding Rtd's Condition 2 26. Shaft Run Out 2 27. Does Shaft Tum Freely yes 28. Does Shaft Have Visible Damage no 29. Bearing Rtd's no 30. Bearing Rtd's Condition 3 31. Contamination Nore 2 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass				460 Volts
11. RPM 1775 RPM 12. Frame 326T 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size colored leads 1-9 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's 2 25. Winding RTD's 2 26. Shaft Run Out 2 27. Does Shaft Tum Freely yes 28. Does Shaft Tum Freely yes 29. Bearing Rtd's Condition 2 30. Bearing Rtd's Condition 3 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass		•.		
12. Frame 3261 13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size (P) Pass 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No Lugs volugs 24. Winding RTD's yes 25. Winding RtD's yes 26. Shaft Turn Freely yes 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Freely yes 29. Bearing Rtd's Condition mo 30. Bearing Rtd's Condition 30. Bearing Rtd's Condition 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components 10			-	
13. Enclosure Tercel 14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection F1 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size (P) Pass 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's yes 25. Winding RTD's yes 26. Shaft Turn Freely yes 27. Does Shaft Turn Freely yes 28. Does Shaft Ture Freely yes 29. Bearing Rtd's no 30. Bearing Rtd's Condition				
14. Cycles 60 HZ 15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size (P) Pass 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's 25 25. Winding Rtd's Condition 9 26. Shaft Run Out (P) Pass 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Visible Damage no 29. Bearing Rtd's no 30. Bearing Rtd's Condition (P) Pass 31. Contamination Nore (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass				
15. Phase 3 PH 16. Service Factor 1 17. Motor Mount Position F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size (P) Pass 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs No lugs 24. Winding RTD's Colored leads 1-9 25. Winding RTD's yes 26. Shaft Run Out (P) Pass 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Freely yes 30. Bearing Rtd's no 30. Bearing Rtd's no 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass				
16. Service Factor 1 17. Motor Mount Position F1 17. Motor Mount Position F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size 18 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs Colored leads 1-9 24. Winding RtD's 24 25. Winding Rtd's Condition 26 26. Shaft Run Out 27 27. Does Shaft Turn Freely yes 28. Does Shaft Have Visible Damage no 29. Bearing Rtd's 30 30. Bearing Rtd's 30 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass				•••
17. Motor Mount Position F1 Initial Inspection 9 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size (P) Pass 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's 2 25. Winding RTD's 2 26. Shaft Run Out yes 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Freely yes 30. Bearing Rtd's no 31. Contamination				• • • •
Initial Inspection 18. Number of Leads 9 19. Lead Length 18 Inches 20. Lead Size 18 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs colored leads 1-9 24. Winding RTD's 2 25. Winding Rtd's Condition 2 26. Shaft Run Out 18 27. Does Shaft Turn Freely yes 28. Does Shaft Run Out 10 29. Bearing Rtd's no 30. Bearing Rtd's Condition 10 31. Contamination None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 33. Fan Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components 10				-
18. Number of Leads919. Lead Length18 Inches20. Lead Size(P) Pass21. Lead Condition(P) Pass22. Lead Markingscolored leads 1-923. Lug Size, Condition, and Type No lugs(P) Pass24. Winding RTD's(P) Pass25. Winding Rtd's Condition(P) Pass26. Shaft Run Outyes27. Does Shaft Turn Freelyyes28. Does Shaft Turn Freelyyes29. Bearing Rtd'sno29. Bearing Rtd'sno30. Bearing Rtd's Condition(P) Pass31. Contamination None(P) Pass33. Fan Condition(P) Pass34. Broken or missing components(P) Pass	In			
19. Lead Length18 Inches20. Lead Size21.21. Lead Condition(P) Pass22. Lead Markingscolored leads 1-923. Lug Size, Condition, and Type No lugs			•	9
20. Lead Size 21. Lead Condition (P) Pass 22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs 24. Winding RTD's Colored leads 1-9 25. Winding Rtd's Condition Yes 26. Shaft Run Out Yes 27. Does Shaft Turn Freely yes 28. Does Shaft Have Visible Damage no 29. Bearing Rtd's no 30. Bearing Rtd's Condition (P) Pass 31. Contamination None 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components Staft Pass				18 Inches
22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs 24. Winding RTD's 2 25. Winding Rtd's Condition 2 26. Shaft Run Out yes 27. Does Shaft Turn Freely yes 28. Does Shaft Have Visible Damage no 29. Bearing Rtd's 30. 30. Bearing Rtd's Condition 31. 31. Contamination None 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components 11				
22. Lead Markings colored leads 1-9 23. Lug Size, Condition, and Type No lugs No 24. Winding RTD's 1 25. Winding Rtd's Condition 1 26. Shaft Run Out 1 27. Does Shaft Turn Freely 1 28. Does Shaft Have Visible Damage 1 29. Bearing Rtd's 1 30. Bearing Rtd's Condition 1 31. Contamination None (P) Pass 33. Frame Condition (P) Pass 34. Broken or missing components 1		21.	Lead Condition	(P) Pass
23. Lug Size, Condition, and Type No lugs 24. Winding RTD's 25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination None 32. Frame Condition 33. Fan Condition 34. Broken or missing components		22.	Lead Markings	
24. Winding RTD's 25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely yes 28. Does Shaft Have Visible Damage no 29. Bearing Rtd's				
25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination None 32. Frame Condition 33. Fan Condition 34. Broken or missing components			No lugs	
26.Shaft Run Out27.Does Shaft Turn Freelyyes28.Does Shaft Have Visible Damageno29.Bearing Rtd'sSolution30.Bearing Rtd's ConditionSolution31.Contamination None(P) Pass32.Frame Condition(P) Pass33.Fan Condition(P) Pass34.Broken or missing components		24.	Winding RTD's	
27. Does Shaft Turn Freelyyes28. Does Shaft Have Visible Damageno29. Bearing Rtd's		25.	Winding Rtd's Condition	
28. Does Shaft Have Visible Damage no 29. Bearing Rtd's		26.	Shaft Run Out	
29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination None 32. Frame Condition 33. Fan Condition 34. Broken or missing components		27.	Does Shaft Turn Freely	yes
30. Bearing Rtd's Condition 31. Contamination None 32. Frame Condition 33. Fan Condition 34. Broken or missing components		28.	Does Shaft Have Visible Damage	no
31. Contamination None 32. Frame Condition 33. Fan Condition 34. Broken or missing components		29.	Bearing Rtd's	
None (P) Pass 32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass		30.	Bearing Rtd's Condition	
32. Frame Condition (P) Pass 33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass		31.	Contamination	
33. Fan Condition (P) Pass 34. Broken or missing components (P) Pass			None	
34. Broken or missing components		32.	Frame Condition	(P) Pass
		33.	Fan Condition	(P) Pass
		34.	Broken or missing components	
None			None	

Initial	Electric Test	
35.	Resistance to Ground	0 Mohm
36.	Winding Resistance 1-2	
37.	Winding Resistance 2-3	
38.	Winding Resistance 1-3	
39.	Resistive Imbalance	
40.	Hi-Pot	
4 1.	Surge Test	(F) Fail
42.	Stator Condition	rewind
43.	Failure Location	
Initial	Rotor Inspection	
44.	Rotor Type	cast aluminum
45.	Air Gap <10% Variation	
46.	Number of Rotor Bars	40
47.	Number of Broken Rotor Bars	0
48.	Growler Test	(P) Pass
4 9.	Rotor Condition	(P) Pass
Mecha	anical Inspection	
50.	Bearing Manufacture	fag



51.	Bearing DE Size	6312
52.	Bearing DE Type	ball
53.	DE Bearing Qty.	1
54.	Bearing ODE Size	6311
55.	Bearing ODE Type	ball
56.	ODE Bearing Qty.	1
57.	Insulated Bearing	none
58.	Lubrication Type	grease
59.	Grease Condition	(P) Pass
60.	Bearing Retainers	(N) No
	Wavy on ode	
61.	Shaft Grounding Device	(NA) Not Applicable
62.	DE Seal	(NA) Not Applicable
63.	DE Seal Type/Size	
64.	ODE Seal	(NA) Not Applicable

66		
	Component Failure	stator coil to coil
67.	Cause of Failure	
	Unknown	
68.	Comments	
	Rewind, 6311, 6312	
69.	Service Technician	David Maclin
Machi	ne Fit Inspection Report	
	Shaft Run Out	(P) Pass
70.	0.000	(r) rass
	Initial Shaft Run Out	
	Final Shaft Run Out	
	DE Bearing Shaft Fit	(P) Pass
	DE Initial Shaft Bearing Fit Size 1	2.3625 "
	DE Initial Shaft Bearing Fit Size 2	2.3625 "
	DE Initial Shaft Bearing Fit Size 3	2.3625 "
	DE Finial Shaft Bearing Fit Size 1	
	DE Finial Shaft Bearing Fit Size 2	
	DE Finial Shaft Bearing Fit Size 3	
	ODE Bearing Shaft Fit	(P) Pass
	ODE Initial Shaft Bearing Fit Size 1	2.1657 "
	ODE Initial Shaft Bearing Fit Size 2	2.1657 "
	ODE Initial Shaft Bearing Fit Size 3	2.1657 "
	ODE Finial Shaft Bearing Fit Size 1	
	ODE Finial Shaft Bearing Fit Size 2	
86.	ODE Finial Shaft Bearing Fit Size 3	
	DE Air Seal Shaft Fit	
88.	DE Initial Air Seal Shaft Size	
89.	DE Final Air Seal Shaft Size	
90.	ODE Air Seal Shaft Fit	
91.	ODE Initial Air Seal Shaft Size	
92.	ODE Final Air Seal Shaft Size	
93.	DE Endbell Fit	(P) Pass
94.	DE Initial Endbell Fit Size 1	5.1186 "
95.	DE Initial Endbell Fit Size 2	5.1186 "
96.	DE Initial Endbell Fit Size 3	5.1186 "
97.	DE Final Endbell Fit Size 1	
98.	DE Finial Endbell Fit Size 2	
99.	DE Final Endbell Fit Size 3	
100.	DE Endbell Fit Insulated	

103. Finial Endbell Air Seal Fit Size	
104. ODE Endbell Fit	(P) Pass
105. ODE Initial Endbell Fit Size 1	4.7247 "
106. ODE Initial Endbell Fit Size 2	4.7247 "
107. ODE Initial Endbell Fit Size 3	4.7247 "
108. ODE Final Endbell Fit Size 1	
109. ODE Final Endbell Fit Size 2	
110. ODE Final Endbell Fit Size 3	
111. ODE Endbell Fit Insulated	
112. ODE Endbell Air Seal Fit	
113. ODE Initial Endbell Seal Fit Size	
114. ODE Finial Endbell Seal Fit Size	
115. Foot Flatness	(P) Pass
116. Foot Condition	(P) Pass
117. Flange Condition	(NA) Not Applicable
118. Service Technician	David Maclin

LL

Balan	cing Report
119.	Balance Type
120.	Balance Operating Speed
121.	Start Left End
122.	Start Right End
123.	Balancing Specification
124.	Finish Left End
125.	Finish Right End
126.	Service Technician
Assen	nbly and Final Test
127.	Meggar Testing Reading
128.	Surge Test
129.	Hi-Pot
130.	Winding Resistance 1-2
	Winding Resistance 2-3
	Winding Resistance 1-3
	Test Run Voltage Phase A
134.	Test Run Amps A
	Test Run Voltage Phase B
	Test Run Amps B
	Test Run Voltage Phase C
	Test Run Amps C
	DE Horizontal Vibration Reading
	DE Vertical Vibration Reading
	DE Axial Vibration Reading
	ODE Horizontal Vibration Reading
143.	ODE Vertical Vibration Reading

144. ODE Axial Vibration Reading	
145. Ambient Temp at start of Test Run	
146. Temp at 5 minutes	
147. Temp at 10 minutes	
148. Temp at 15 minutes	
149. Temp at 20 minutes	
150. Temp at 25 minutes	
151. Temp at 30 minutes	
152. Temp at 35 minutes	
153. Temp at 40 minutes	
154. Temp at 45 minutes	
155. Temp at 50 minutes	
156. Temp at 55 minutes	
157. Temp at 60 minutes	
158. Motor Paint	(P) Pass











159. Service Technician



STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. <u>APPLICABILITY.</u> The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. <u>SCOPE OF GOODS AND/OR SERVICES.</u> The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only be effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. DELIVERY OF GOODS AND/OR SERVICES. Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- 6. DELIVERY SITE AND TIME FOR PERFORMANCE. Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. WARRANTIES. Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

TermsAndConditions

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. LIMITATION OF DAMAGES. HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY</u>. The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. <u>GOVERNING LAW AND JURISDICTION.</u> Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. <u>ABANDONED EQUIPMENT.</u> Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER</u>. No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. <u>ASSIGNMENT.</u> The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. <u>NO INDIVIDUAL LIABILITY</u>. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.