

# LR Motor Shop Repairs

## **Job Number 102034**

Prepared for Georges Inc

1810 S. St. Louis Street Batesville AR 72501

## **Table of Contents**



Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Printed on 11/1/2023 Powered by INSPECTALL Table of Contents



FolderID: 102034

FormID: 18316761



### **Submersible Pump Repair Report**


**Georges Inc** 1810 S. St. Louis Street Batesville, AR 72501

Priorities Found: 6 5 - High

33 - Good

Gener	ral	
1.	Job Number	102034
2.	Report Date	11/01/2023
3.	Customer	George's
Initial	Pump Inspection	
4.	Power Cord Wire Size	2 AWG























	5.	Power Cord # of Conductors	4
	6.	Power Cord Length	30 ft
	7.	Power Cord Condtion	(P) Pass
	8.	Sensor Cord Wire Size	18 AWG
	9.	Sensor Cord # of Conductors	5
	10.	Sensor Cord Length	30 ft
	11.	Sensor Cord Condition	(P) Pass
	12.	Sensor Cord for Thermal Protection?	(Y) Yes
	13.	Sensor Cord for Water Protection	(Y) Yes
	14.	Bowl Condition	(P) Pass
	15.	Impeller Condition	(F) Fail
	16.	Number of Wear Rings	1
	17.	Wear Ring Condition	(F) Fail
	18.	Wear Ring Size	6 in
	19.	Wear Ring Clearance to Impeller	0 in
	20.	Wear Ring Material	bronze
	21.	Seal Surfaces Condition	(P) Pass
	22.	Seal Type	
			Mechanical
	23.	Number of Seals	Mechanical 2
		Number of Seals Seal Material on Rotary Face	
			2
	24.	Seal Material on Rotary Face	2 carbon
	24. 25.	Seal Material on Rotary Face Seal Material on Stationary Seat Elastic Component Material	2 carbon ceramic
	<ul><li>24.</li><li>25.</li><li>26.</li></ul>	Seal Material on Rotary Face Seal Material on Stationary Seat Elastic Component Material	2 carbon ceramic Buna
	24. 25. 26. 27.	Seal Material on Rotary Face Seal Material on Stationary Seat Elastic Component Material Seal OD	2 carbon ceramic Buna 66.675 mm
	24. 25. 26. 27. 28.	Seal Material on Rotary Face Seal Material on Stationary Seat Elastic Component Material Seal OD Seal ID	2 carbon ceramic Buna 66.675 mm 47.625 in
•	24. 25. 26. 27. 28. 29.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD Seal ID Seal Sleeve Material	2 carbon ceramic Buna 66.675 mm 47.625 in
•	24. 25. 26. 27. 28. 29.	Seal Material on Rotary Face Seal Material on Stationary Seat Elastic Component Material Seal OD Seal ID Seal Sleeve Material Seal Plate Condition	2 carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass
•	24. 25. 26. 27. 28. 29. 30. 31. 32.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD Seal ID Seal Sleeve Material Seal Plate Condition Water Sensor in Seal Cavity?	carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass (Y) Yes
• • • • • • • • • • • • • • • • • • •	24. 25. 26. 27. 28. 29. 30. 31. 32.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD Seal ID Seal Sleeve Material Seal Plate Condition Water Sensor in Seal Cavity? Oil Filled Seal Cavity?	carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass (Y) Yes (Y) Yes
• • • • • • • • • • • • • • • • • • •	24. 25. 26. 27. 28. 29. 30. 31. 32. 33.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD  Seal ID  Seal Sleeve Material Seal Plate Condition  Water Sensor in Seal Cavity?  Oil Filled Seal Cavity?	carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass (Y) Yes (Y) Yes
• • • • • In	24. 25. 26. 27. 28. 29. 30. 31. 32. 33.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD Seal ID Seal Sleeve Material Seal Plate Condition Water Sensor in Seal Cavity? Oil Filled Seal Cavity? Inspection	carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass (Y) Yes (Y) Yes (Y) Yes
• • • • In	24. 25. 26. 27. 28. 29. 30. 31. 32. 33. iitial 34. 35.	Seal Material on Rotary Face Seal Material on Stationary Seat  Elastic Component Material Seal OD Seal ID Seal Sleeve Material Seal Plate Condition Water Sensor in Seal Cavity? Oil Filled Seal Cavity? Inspection Number of Leads	2 carbon ceramic Buna 66.675 mm 47.625 in none (P) Pass (Y) Yes (Y) Yes (Y) Yes

	37.	Lead Condition	(P) Pass
	38.	Lead Markings	1-3
	39.	Lead Size for Oil Filled Stator	10 AWG
	40.	Lug Size, Condition, and Type	
		None	
	41.	Overload Required?	(Y) Yes
	42.	Winding RTD's	(N) No
	43.	Winding Rtd's Condition	(NA) Not Applicable
	44.	Shaft Run Out	0.001
	45.	Does Shaft Turn Freely	yes
	46.	Does Shaft Have Visible Damage	no
	47.	Bearing Rtd's	(NA) Not Applicable
	48.	Bearing Rtd's Condition	(NA) Not Applicable
	49.	Contamination	
		Water in seal cavity	
	50.	Frame Condition	(P) Pass
	51.	Fan Condition	(NA) Not Applicable
	52.	Broken or missing components	
		Bolt and washer for impeller. Can just use off the shelf parts	
In	itial	Electric Test	
	53.	Resistance to Ground	2000 Mohm



54.	Winding Resistance 1-2	0.245 Ohm
55.	Winding Resistance 2-3	0.245 Ohm's
56.	Winding Resistance 1-3	0.245 Ohm's
57.	Resistive Imbalance	0 %
58.	Hi-Pot	0 Ua
59.	Surge Test	(P) Pass
60.	Stator Condition	good
61.	Failure Location	none
Initial	Rotor Inspection	
62.	Rotor Type	cast aluminum
<ul><li>63.</li></ul>	Air Gap <10% Variation	(P) Pass
64.	Number of Rotor Bars	56
65.	Number of Broken Rotor Bars	0

66.	Growler Test		(P) Pas	S
<b>6</b> 7.	Rotor Condition		(P) Pas	
Mech	anical Inspection		, ,	
	Bearing Manufacturer		none	9
	Bearing DE Size		5310	)
	Bearing DE Type		double row bal	ı
71.			1	1
72.	Bearing ODE Size		6207	7
73.			bal	ı
74.			1	1
75.	Insulated Bearing		none	9
76.	Lubrication Type		oi	ı
<b>77</b> .			(NA) Not Applicabl	е
78.	Bearing Retainers		(NA) Not Applicabl	
79.			(NA) Not Applicabl	е
<b>8</b> 0.	•		(Y) Ye	
81.	DE Seal Type/Size		carbon ceramic	<u> </u>
-	1 7/8 - 2 5/8			
<b>8</b> 2.	ODE Seal		(Y) Ye	s
83.	ODE Seal Type/Size		carbon ceramic	<u> </u>
-	1 7/8 - 2 5/8			
Root	Cause of Failure			
84.	Component Failure		ode endbell fit, rubbe diaphragm	
85.	Cause of Failure			
	Rubber diaphragm failed			
86.	Comments			
	5310, 6207, sleeve ode, machine new w	vear ring, machine eliminate dia	phragm, 2- 1 7/8 * 2 5/8 carbon ceramic seals	
87.	Service Technician		David Maclin	1
Mach	ine Fit Inspection Report			
88.	Shaft Run Out		(P) Pas	S
89.	Initial Shaft Run Out		0.001	II .
90.	Final Shaft Run Out		0.001	"
91.	DE Bearing Shaft Fit		(P) Pas	s
92.	DE Initial Shaft Bearing Fit Size			
	Measure 1	Measure 2	Measure 3	
	1.9688	1.9687	1.9687	
93.	DE Final Shaft Bearing Fit Size			
	Measure 1	Measure 2	Measure 3	
	1.9688	1.9687	1.9687	
94.			(P) Pas	s

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

95.	ODE Initial Shaft Bearing Fit Size		
	Measure 1	Measure 2	Measure 3
	1.772	1.772	0.772
96.	ODE Final Shaft Bearing Fit Size		
	Measure 1	Measure 2	Measure 3
	0.772	1.772	1.7721
97.	DE Air Seal Shaft Fit		(P) Pass
98.	DE Air Seal Shaft Size		
	Initial	Final	
	0	0	
99.	ODE Air Seal Shaft Fit		(P) Pass
100.	ODE Air Seal Shaft Size		,
	Initial	Final	
	0	0	
101	DE Endbell Fit	-	(P) Pass
	DE Initial Endbell Fit Size		(1)1 455
.02.	Measure 1	Measure 2	Measure 3
	4.3313	4.3312	4.3312
102	DE Final Endbell Fit Size	4.3312	4.3312
103.		Measure 2	Measure 3
	Measure 1		
404	4.3313	4.3312	4.3312
	DE Endbell Fit Insulated		(NA) Not Applicable
	DE Endbell Air Seal Fit		(NA) Not Applicable
106.	DE Endbell Air Seal Fit Size		
	Initial	Final	
	0	0	
	ODE Endbell Fit		(F) Fail
108.	ODE Initial Endbell Fit Size		
	Measure 1	Measure 2	Measure 3
	2.8362	2.8362	2.8362
109.	ODE Final Endbell Fit Size		
	Measure 1	Measure 2	Measure 3
	ODE Endbell Fit Insulated		(NA) Not Applicable
	ODE Endbell Air Seal Fit		(NA) Not Applicable
112.	ODE Endbell Air Seal Fit Size		
	Initial	Final	
	0	0	
	Foot Flatness		(NA) Not Applicable
	Foot Condition		(NA) Not Applicable
	Flange Condition		(P) Pass
116.	Service Technician		David Maclin
Palan	cing Report		

### **Balancing Report**

117	Balance Type				
	Balance Operating Speed				
	Start Left End				
	Start Right End				
	Balancing Specification				
	Finish Left End				
	Finish Right End				
	Service Technician				
	nbly and Final Test				
	Rotor and Impeller Balanced				
	Stator Housing Refilled with Oil (if requ	uired)			
	Stator Pressure Test				
	Seal Cavity Pressure Test				
	Time Under Pressure				
	Overload Continuity				
	Water Sensor Open?				
	Meggar Testing Reading				
	Surge Test				
	Hi-Pot				
135.	Winding Resistance				
	1-2	2-3	3-1		
	Test Run				
137.	Test Run Voltage				
	Phase A	Phase B	Phase C		
120	Test Run Current				
130.		Phase B	Phase C		
	Phase A	Filase b	Filase C		
139.					
	DE Vibration Reading				
	DE Vibration Reading Horizontal	Vertical	Axial		
	DE Vibration Reading Horizontal	Vertical	Axial		
140.		Vertical	Axial		
140.	Horizontal	Vertical Vertical	Axial		
	Horizontal  ODE Vibration Reading  Horizontal				
141.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run				
141. 142.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes				
141. 142. 143.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes				
141. 142. 143. 144.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes				
141. 142. 143. 144. 145.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes				
141. 142. 143. 144. 145.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes				
141. 142. 143. 144. 145. 146.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 30 minutes				
141. 142. 143. 144. 145. 146. 147.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 30 minutes Temp at 30 minutes				
141. 142. 143. 144. 145. 146. 147. 148.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 35 minutes Temp at 30 minutes Temp at 40 minutes				
141. 142. 143. 144. 145. 146. 147. 148. 149.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 30 minutes Temp at 30 minutes Temp at 45 minutes				
141. 142. 143. 144. 145. 146. 147. 148. 149. 150.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 35 minutes Temp at 35 minutes Temp at 40 minutes Temp at 45 minutes Temp at 50 minutes				
141. 142. 143. 144. 145. 146. 147. 148. 149. 150.	Horizontal  ODE Vibration Reading Horizontal  Ambient Temp at start of Test Run Temp at 5 minutes Temp at 10 minutes Temp at 15 minutes Temp at 20 minutes Temp at 25 minutes Temp at 30 minutes Temp at 30 minutes Temp at 45 minutes				

154.	Moto	r Pair	٠.
104	IVICICI	ı Pali	н

155. Service Technician



#### STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. APPLICABILITY. The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. SCOPE OF GOODS AND/OR SERVICES. The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only bee effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. <u>DELIVERY OF GOODS AND/OR SERVICES.</u> Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- **DELIVERY SITE AND TIME FOR PERFORMANCE.** Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have sixty (60) days to cure the alleged discrepancy and/or nonconformance. If Hi-Speed fails to cure in this time period, Buyer shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. <u>WARRANTIES.</u> Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. LIMITATION OF DAMAGES. HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY.</u> The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. **GOVERNING LAW AND JURISDICTION.** Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. <u>ABANDONED EQUIPMENT.</u> Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER.</u> No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. **ASSIGNMENT.** The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. NO INDIVIDUAL LIABILITY. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.