



KEEPING YOUR FACILITY UP TO SPEED
— EVERY DAY SINCE 1946 —

LR Motor Shop Repairs

Job Number 104170

Prepared for Jacksonville Waste Water

248 Cloverdale Road
Jacksonville AR 72076

Table of Contents

AC Inspection as Found - *LITTLE ROCK MOTOR
SHOP*

AC Inspection - Rev. 2: *CAT#E113A*

1.0

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Printed on 3/5/2025

Powered by **INSPECTALL**

Table of Contents



Hi-Speed Industrial Service
7030 Ryburn Dr
Millington, Tn 38053
901-873-5300

AC Inspection as Found

Jacksonville Waste Water

248 Cloverdale Road
Jacksonville, AR 72076

FolderID: 104170
FormID: 23441610

AC Inspection - Rev. 2

Location: LITTLE ROCK MOTOR SHOP

Serial Number: CAT#E113A

Description: 15 HP MARATHON MOTOR W
PUMP

Hi-Speed Job Number: 104170

Manufacturer: Marathon

Product Number: UVN215TTDWD4022AA

Serial Number: CAT#E113A

HP/kW: 15 (HP)

RPM: 3525 (RPM)

Frame: 215JM

Voltage: 230 / 460

Phase: Three

Hz: 60 (Hz)

Service Factor: 1.15

Enclosure: DP

Repair Stage: Final

Priorities Found: ● 2 - High ● 1 - Good

Overall Condition

1. Report Date
2. Nameplate Picture



3. Photos of all six sides of the machine.

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.









4. Describe the Overall Condition of the Equipment as Received
5. Distance from the end of the shaft to the Coupling/Sheave

Initial Mechanical/Electrical

6. Does Shaft Turn Freely?
7. Does the shaft require T.I.R in Lathe to identify additional repairs?
8. Does Shaft Have Visible Damage?
9. Assembled Shaft Runout
10. Assembled Shaft End Play
11. Air Gap Variation <10%
12. Lead Condition
13. Lead Length
14. Does it have Lugs?, If so what is the Stud Size?
15. Lead Numbers
16. Stator Temperature Detector Rating and Function

Quantity	Rating	Quantity Passed
----------	--------	-----------------

17. Bearing Temperature Detector Rating and Function

Quantity	Rating	Quantity Passed
----------	--------	-----------------

18. Frame Condition
19. Fan Condition
20. Does motor have internal fan?
21. Heater Quantity, Ratings

Quantity	Volts/Watts	Pass/Fail
----------	-------------	-----------

22. Broken or Missing Components

Initial Electrical Inspection

Coil 1 (Ohms)	1.678 Corr: 1.7...	
Coil 2 (Ohms)	1.203 Corr: 1.2...	
Coil 3 (Ohms)	1.700 Corr: 1.7...	
Megohm Stat...	PASS	No Test
Volts (V)	508	
I(μA)	0.0639	
Resist	7951	
At 40°C	2146	
DI Status	N/A Test	N/A Test
Nameplate	Application	Results Summary

24. Winding Resistance

1-2

1-3

2-3

Test Date	2/20/2025	2/20/2025
Test Time	1:40:54 PM	1:40:50 PM
IR Temp Com...	Thermoplastic	None
Resist Status	DELTA R	No Test
Bal L1 (Ohms)		
Bal L2 (Ohms)		
Bal L3 (Ohms)		
L1-L2 (Ohms)	1.064 Corr: 1.0...	
L2-L3 (Ohms)	0.887 Corr: 0.9...	
L3-L1 (Ohms)	1.070 Corr: 1.0...	
Max Delta R %	18.160	
Coil 1 (Ohms)	1.678 Corr: 1.7...	
Coil 2 (Ohms)	1.203 Corr: 1.2...	
Coil 3 (Ohms)	1.700 Corr: 1.7...	
Megohm Stat	PASS	N/A Test
Nameplate	Application	Results Summary

25. Perform Surge Test

(F) Fail

Highly recommend rewind do to signs of arcing and some melted copper

Tools Help	
104178	
Tools Trending	
Test ID: 480V w/RTTs 10THP Step	
For: 480V VUL Motors	
Run Auto Test	
Temperature/Resistance Tests	
Temperature	Manual
Resistance	3 Leads Low V
DIC Tests	
MegOhm	500 Volts
OFF	500 Volts
Step Voltage	1400 Volts
Surge Test	
Surge	1500 Volts





26.	Number of Stator Slots		
27.	Stator Condition		
28.	Stator Thermistors/Ohms		
29.	Stator Overloads/Ohms		
Mechanical Inspection			
30.	Drive End Bearing Brand		
31.	Drive End Bearing Number-		
32.	Drive End Bearing Qty.		
33.	Drive End Bearing Type		
34.	Drive End Lubrication Type		
35.	Drive End Bearing Insulation or Grounding Device?		
36.	Drive End Wavy Washer/Snap-Ring Other Retention Device?		
37.	Drive End Bearing Condition		
38.	Opposite Drive End Bearing Brand		
39.	Opposite Drive End Bearing Number-		
40.	Opposite Drive End Bearing Qty.		
41.	Opposite Drive End Bearing Type		
42.	Opposite Drive End Lubrication Type		
43.	Opposite Drive End Bearing Insulation or Grounding Device?		
44.	Opposite Drive End Wavy Washer/Snap-Ring Other Retention Device?		
45.	Opposite Drive End Bearing Condition		
46.	Drive End Seal		
47.	Opposite Drive End Seal		
48.	DE Sleeve Bearing Inside Diameter		
	0 degrees	120 degrees	240 degrees
49.	DE Sleeve Bearing Outside Diameter		
	0 degrees	120 degrees	240 degrees
50.	DE Sleeve Bearing Housing Inside Diameter		
	0 degrees	120 degrees	240 degrees
51.	DE Sleeve Bearing to Housing Clearance		
	0 degrees	120 degrees	240 degrees

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

52. ODE Sleeve Bearing Inside Diameter			
0 degrees	120 degrees	240 degrees	
53. ODE Sleeve Bearing Outside Diameter			
0 degrees	120 degrees	240 degrees	
54. ODE Sleeve Bearing Housing Inside Diameter			
0 degrees	120 degrees	240 degrees	
55. ODE Sleeve Bearing to Housing Clearance			
0 degrees	120 degrees	240 degrees	
Rotor Inspection			
56. Rotor Type/Material			
57. Growler Test			
58. Number of Rotor Bars			
59. Rotor Condition			
60. List the Parts needed for the Repair Below			
61. Signature of Technician that Disassembled Motor			
Mechanical Fits- Rotor			
62. Shaft Runout			
63. Rotor Runout			
Drive End Bearing Fit	Rotor Body	Opposite Drive End Bearing	
64. Coupling Fit Closest to Bearing Housing			
0 Degrees	90 Degrees	120 Degrees	
65. Coupling Fit Closest to the end of the Shaft			
0 Degrees	60 Degrees	120 Degrees	
66. Drive End Bearing Shaft Fit			
0 Degrees	60 Degrees	120 Degrees	
67. Drive End Bearing Shaft Fit Condition			
68. Opposite Drive End Bearing Shaft Fit			
0 Degrees	60 Degrees	120 Degrees	
69. Opposite Drive End Bearing Shaft Fit Condition			
70. Shaft Air Seal Fits			
Drive End Air Seal	Opposite Drive End Air Seal		
Mechanical Fits- Bearing Housings			
71. Drive End - Endbell Bearing Fit			
0 Degrees	60 Degrees	120 Degrees	
72. Drive End - Endbell Bearing Fit Condition			
73. Opposite Drive End - Endbell Bearing Fit			
0 Degrees	60 Degrees	120 Degrees	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

74. Opposite Drive End - Endbell Bearing Fit Condition		
75. Bearing Cap Condition		
Drive End Bearing Cap	Opposite Drive End Bearing Cap	
76. End Bell Air Seal Fits		
Drive End Air Seal	Opposite Drive End Air Seal	
77. List Machine Work Needed Below		
78. Technician		
Root Cause of Failure		
79. Failure locations		
80. Root cause of failure		
Dynamic Balance Report		
81. Rotor Weight and Balance Grade		
Rotor Weight	Balance Grade	
82. Initial Balance Readings		
Drive End	Opposite Drive End	
83. Final Balance Readings		
Drive End	Opposite Drive End	
84. Technician		
Rewind		
85. Core Test Results - Watts loss per Pound		
Pre-Burnout	Post Burnout	
86. Core Hot Spot Test		
Pre-Burnout	Post-Burnout	
87. Post Rewind Electrical Test- Insulation Resistance		
88. Post Rewind Polarization Index		
89. Post Rewind Winding Resistance		
1-2	1-3	2-3
90. Post Rewind Surge Test		
91. Post Rewind Hi-Pot		
92. Technician		
Mechanical Fits- Rotor - Post Repair		
93. Shaft Runout Post Repair		
94. Rotor Runout Post Repair		
Drive End Bearing Fit	Rotor Body	Opposite Drive End Bearing
95. Coupling Fit Closest to Bearing Housing Post Repair		
0 Degrees	90 Degrees	120 Degrees
96. Coupling Fit Closest to the end of the Shaft Post Repair		
0 Degrees	60 Degrees	120 Degrees

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

97. Drive End Bearing Shaft Fit Post Repair		
0 Degrees	60 Degrees	120 Degrees
98. Opposite Drive End Bearing Shaft Fit Post Repair		
0 Degrees	60 Degrees	120 Degrees
99. Shaft Air Seal Fits Post Repair		
Drive End Air Seal	Opposite Drive End Air Seal	
100. Shaft Repair Sign-off		
Mechanical Fits- Bearing Housings - Post Repair		
101. Drive End - Endbell Bearing Fit Post Repair		
0 Degrees	60 Degrees	120 Degrees
102. Opposite Drive End - Endbell Bearing Fit Post Repair		
0 Degrees	60 Degrees	120 Degrees
103. Bearing Cap Condition Post Repair		
Drive End Bearing Cap	Opposite Drive End Bearing Cap	
104. End Bell Air Seal Fits Post Repair		
Drive End Air Seal	Opposite Drive End Air Seal	
105. DE Sleeve Bearing Inside ID Post Repair		
Measure 1	Measure 2	Measure 3
106. DE Sleeve Bearing Outside ID Post Repair		
Measure 1	Measure 2	Measure 3
107. DE Sleeve Bearing Inside OD Post Repair		
Measure 1	Measure 2	Measure 3
108. DE Sleeve Bearing Outside OD Post Repair		
Measure 1	Measure 2	Measure 3
109. End Bell Repair Sign-off		
110. ODE Sleeve Bearing Inside ID Post Repair		
Measure 1	Measure 2	Measure 3
111. ODE Sleeve Bearing Outside ID Post Repair		
Measure 1	Measure 2	Measure 3
112. ODE Sleeve Bearing Inside OD Post Repair		
Measure 1	Measure 2	Measure 3
113. ODE Sleeve Bearing Outside OD Post Repair		
Measure 1	Measure 2	Measure 3
Assembly		
114. QC Check All Parts for Cleanliness Prior to Assembly		

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

115. Photograph All Major Components prior to assembly			
116. Final Insulation Resistance Test			Megohms
117. Assembled Shaft Endplay			inches
118. Assembled Shaft Runout			inches
119. Test Run Voltage			
Volts	Volts	Volts	
120. Test Run Amperage			
Amps	Amps	Amps	
121. Drive End Vibration Readings - Inches Per Second			
Horizontal	Vertical	Axial	
122. Opposite Drive End Vibration Readings - Inches Per Second			
Horizontal	Vertical	Axial	
123. Ambient Temperature - Fahrenheit			
124. Drive End Bearing Temps - Fahrenheit			
5 Minutes	10 Minutes	15 Minutes	
125. Drive End Bearing Temps - Fahrenheit 20-30 Minutes			
20 Minutes	25 Minutes	30 Minutes	
126. Drive End Bearing Temps - Fahrenheit 35-45 Minutes			
35 Minutes	40 Minutes	45 Minutes	
127. Drive End Bearing Temps - Fahrenheit 50-60 Minutes			
50 Minutes	55 Minutes	60 Minutes	
128. Opposite Drive End Bearing Temps - Fahrenheit			
5 Minutes	10 Minutes	15 Minutes	
129. Opposite Drive End Bearing Temps - Fahrenheit 20-30 Minutes			
20 Minutes	25 Minutes	30 Minutes	
130. Opposite Drive End Bearing Temps - Fahrenheit 35-45 Minutes			
35 Minutes	40 Minutes	45 Minutes	
131. Opposite Drive End Bearing Temps - Fahrenheit 50-60 Minutes			
50 Minutes	55 Minutes	60 Minutes	
132. Stator Temperatures- Fahrenheit			
5 Minutes	10 Minutes	15 Minutes	
133. Stator Temperatures- Fahrenheit 20-30 Minutes			
20 Minutes	25 Minutes	30 Minutes	
134. Stator Temperatures- Fahrenheit 35-45 Minutes			
35 Minutes	40 Minutes	45 Minutes	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

135. Stator Temperatures- Fahrenheit 50-60 Minutes		
50 Minutes	55 Minutes	60 Minutes
136. Document Final Condition with Pictures after paint		



137. Final Pics and QC Review	Cw
	
 Co sign:TLH	
Motor was replaced with new and pump was rebuilt	



STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

1. **APPLICABILITY.** The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
2. **PRICE.** All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
3. **SCOPE OF GOODS AND/OR SERVICES.** The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only be effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
4. **BILLING AND PAYMENT TERMS.** Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
5. **DELIVERY OF GOODS AND/OR SERVICES.** Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
6. **DELIVERY SITE AND TIME FOR PERFORMANCE.** Hi-Speed and Buyer agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
7. **INSPECTION/ACCEPTANCE.** All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have sixty (60) days to cure the alleged discrepancy and/or nonconformance. If Hi-Speed fails to cure in this time period, Buyer shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
8. **WARRANTIES.** Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

9. **LIMITATION OF DAMAGES.** HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
10. **SEVERABILITY.** The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
11. **GOVERNING LAW AND JURISDICTION.** Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
12. **ABANDONED EQUIPMENT.** Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
13. **FORCE MAJEURE.** Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earthquake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
14. **NONWAIVER.** No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
15. **ASSIGNMENT.** The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
16. **NO INDIVIDUAL LIABILITY.** Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and Hi-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between Hi-Speed and the Buyer, even if the Hi-Speed owner, director, officer or employee is or could be construed to be a party to such contract.