

# EVERY DAY SINCE 1946

LR Motor Shop Repairs

## Job Number 103831

Prepared for Tyson Foods (10914)

1238 Market Street Clarksville AR 72830

### Table of Contents

Submersible Pump Repair Report - MOTOR SHOP LR

Submersible Pump Repair Report: HS603403



Hi-Speed Industrial Service 7030 Ryburn Dr Millington, Tn 38053 901-873-5300

103831

01/02/2025

Submersible Pump Repair Report

Tyson Foods (10914) 1238 Market Street Clarksville, AR 72830

FolderID: 103831 FormID: 22470835

Submersible P	ump Repair Report	Make:	GOULDS	
Location:	MOTOR SHOP LR	HP:	5 (HP)	
Serial Number:	HS603403	Model:	HS603403	
Description:5HP	escription:5HP GOULDS PUMP		460 (V)	
		A:	8.2 (A)	
			1725 (RPM)	
		Hz:	60 (Hz)	
		Phase:	1	

General

- Job Number 1.
- Report Date 2.









Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Printed on 1/2/2025














3.	Customer	TYSON
Initia	I Pump Inspection	
4.	Power Cord Wire Size	14 AWG
5.	Power Cord # of Conductors	4
6.	Power Cord Length	20 ft
• 7.	Power Cord Condtion	(P) Pass
8.	Sensor Cord Wire Size	AWG

• A

9.	Sensor Cord # of Conductors	
•	Na	
10.	Sensor Cord Length	ft
•	Na	
11.	Sensor Cord Condition	(N) NA
12.	Sensor Cord for Thermal Protection?	(NA) Not Applicable
13.	Sensor Cord for Water Protection	(NA) Not Applicable
14.	Bowl Condition	(P) Pass
15.	Impeller Condition	(P) Pass



16	6. Number of Wear Rings	
	Na	
• 17	7. Wear Ring Condition	(P) Pass
18	3. Wear Ring Size	in
	Na	
19	<ol><li>Wear Ring Clearance to Impeller</li></ol>	in
	Na	
20	D. Wear Ring Material	
	Na	
21	1. Seal Surfaces Condition	(P) Pass
22	2. Seal Type	
		Mechanical
23	3. Number of Seals	2
24	4. Seal Material on Rotary Face	carbon and sic
25	5. Seal Material on Stationary Seat	ceramic and sic
26	6. Elastic Component Material	Buna
27	7. Seal OD	44 mm
	1.75in	
28	3. Seal ID	1.125 in
29	9. Seal Sleeve Material	steel
30	D. Seal Plate Condition	(P) Pass
9 31	1. Water Sensor in Seal Cavity?	(N) No
32	2. Oil Filled Seal Cavity?	(Y) Yes
33	3. Oil Filled Stator?	(Y) Yes
Initia	al Inspection	

34.	Number of Leads	9
35.	Lead Length	10 Inches
36.	Lead Size	18
37.	Lead Condition	(F) Fail



38	Lead Markings	1-9
	Lead Size for Oil Filled Stator	18 AWG
	Lug Size, Condition, and Type	
40.	Na	
41.	Overload Required?	(N) No
	•	
42.	Winding RTD's	(Y) Yes
43.	Winding Rtd's Condition	(NA) Not Applicable
44.	Shaft Run Out	0.0089999999999999999999
45.	Does Shaft Turn Freely	yes
46.	Does Shaft Have Visible Damage	no
47.	Bearing Rtd's	(N) No
48.	Bearing Rtd's Condition	(NA) Not Applicable
49.	Contamination	
	No	
50.	Frame Condition	(P) Pass
51.	Fan Condition	(NA) Not Applicable
52.	Broken or missing components	
	None	
Initial	Electric Test	
53.	Resistance to Ground	7754 Mohm
54.	Winding Resistance 1-2	4.664 Ohm
55.	Winding Resistance 2-3	4.664 Ohm's
56.	Winding Resistance 1-3	4.656 Ohm's
57.	Resistive Imbalance	0.192 %
		0.0733 Ua



#### 60. Stator Condition



61. Failure Location

#### **Initial Rotor Inspection**

62. Rotor Type



63.	Air Gap <10% Variation	(P) Pass	
64.	Number of Rotor Bars	48	
65.	Number of Broken Rotor Bars	0	
66.	Growler Test	(P) Pass	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

wash and dry

lead #2 was mashed and burnt

into

aluminum

67. Rotor Condition	(P) Pass
Mechanical Inspection	
68. Bearing Manufacturer	NSK
69. Bearing DE Size	6206





#### Normal wear

70. Bearing DE Type	ball
71. DE Bearing Qty.	1
72. Bearing ODE Size	6204



#### Normal wear

73	. Bearing ODE Type	ball
74	ODE Bearing Qty.	1
75	Insulated Bearing	no
76	Lubrication Type	oil
• 77	Grease Condition	(NA) Not Applicable
<b>7</b> 8	. Bearing Retainers	(N) No
• 79	Shaft Grounding Device	(N) No
80	. DE Seal	(Y) Yes
81	. DE Seal Type/Size	mechanical

Carbon ceramic and sic sic 1.125 1.75

1 P

<ul> <li>82. ODE Seal Type/Size</li> <li>Na</li> <li>ODE Seal Type/Size</li> <li>Na</li> <li>Component Failure</li> <li>Seal and motor lead</li> <li>Cause of Failure</li> <li>Lower seal failed because of beature it wash smashed</li> <li>Comments</li> <li>Straighten shaft new seals and replace bearings repair lead</li> <li>87. Service Technician</li> <li>RW</li> <li>Co sign CRW</li> <li>Cosign CRW</li> <li>RW</li> <li>Fit Inspection Report</li> <li>Shaft Run Out</li> <li>(F) Fail</li> <li>Shaft Run Out</li> <li>(F) Fail</li> <li>Initial Shaft Run Out</li> <li>(F) Fail</li> <li>DE Bearing Shaft Fit</li> <li>(P) Pass</li> <li>92. DE Initial Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>(P) Pass</li> <li>ODE Final Shaft Fit</li> <li>(P) Pass</li> <li>ODE Initial Shaft Bearing Fit Size</li> <li>(P) Pass</li> <li>ODE Initial Shaft Bearing Fit Size</li> <li>(P) Pass</li> <li>ODE Final Shaft Fit</li> <li>(P) Pass</li> <li>(P)</li></ul>					
<ul> <li>Na</li> <li>Component Failure</li> <li>Cause of Failure</li> <li>Cause of Failure</li> <li>Cause of Failure</li> <li>Comments</li> <li>Straighten shaft new seals and replace bearings repair lead</li> <li>Comments</li> <li>Straighten shaft new seals and replace bearings repair lead</li> <li>Service Technician</li> <li>RW</li> <li>Co sign CRW</li> <li>Co sign CRW</li> <li>Co sign CRW</li> <li>Shaft Run Out</li> <li>Sourge Shaft Fit</li> <li>DE Bearing Shaft Fit</li> <li>Ital5</li> <li>Ital5</li> <li>Ital5</li> <li>Ital5</li> <li>Shaft Run Out</li> <li>Seaure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>Seaure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>Sourge Shaft Fit</li> <li>Sourg</li></ul>	82.	ODE Seal		(NA) Not Applica	ble
B4. Component Failure       seal and motor lead         B5. Cause of Failure       seal and motor lead         B6. Comments       straighten shaft new seals and replace bearings repair lead         B7. Service Technician       RW         B6. Costign CRW       RW         B7. Service Technician       RW         B8. Shaft Run Out       (F) Fail         B9. Initial Shaft Run Out       0.008999999999999999         B0. Final Shaft Run Out       (F) Pais         B1. DE Bearing Shaft Fit       (P) Pass         B2. DE Initial Shaft Bearing Fit Size       (P) Pass         Measure 1       Measure 2       Measure 3         Measure 1       Measure 2       (P) Pass         94. ODE Bearing Shaft Fit       (P) Pass         95. ODE Initial Shaft Bearing Fit Size       (P) Pass         96. ODE Bearing Shaft Fit       (P) Pass         97. ODE Initial Shaft Bearing Fit Size       (P) Pass         97. ODE Initial Shaft Bearing Fit Size       (P) Pass         98. DE Final Shaft Bearing Fit Size       (P) Pass         99. ODE Initial Shaft Bearing Fit Size       (P) Pass         91. ODE Bearing Shaft Fit       (P) Pass         92. ODE Initial Shaft Bearing Fit Size       (P) Pass         93. DE Final Shaft Bearing Fit Size	83.	ODE Seal Type/Size			
<ul> <li>84. Component Failure seal and motor lead</li> <li>85. Cause of Failure Lower seal failed because of bent shaft Lead failed because it wash smashed</li> <li>86. Comments Straighten shaft new seals and replace bearings repair lead</li> <li>87. Service Technician</li> <li>RW</li> <li>Co sign CRW</li> <li>Initial Shaft Run Out</li> <li>(F) Fail</li> <li>89. Initial Shaft Run Out</li> <li>(F) Fail</li> <li>89. Initial Shaft Run Out</li> <li>(F) Fail</li> <li>89. Initial Shaft Run Out</li> <li>(F) Fail</li> <li>90. Final Shaft Run Out</li> <li>(F) Pass</li> <li>92. DE Initial Shaft Rearing Fit Size</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>1.1815</li> <li>1.1815<td></td><td>Na</td><td></td><td></td><td></td></li></ul>		Na			
<ul> <li>85. Cause of Failure Lower seal failed because of bent shaft .lead failed because it wash smashed</li> <li>86. Comments Straighten shaft new seals and replace bearings repair lead</li> <li>87. Service Technician</li> <li>RW</li> <li>A</li> <li>Service Technician</li> <li>RW</li> <li>Co sign CRW</li> <li>Ibaction Report</li> <li>Ibaction Report</li> <li>Shaft Run Out</li> <li>Shaft Run Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>Shaft Run Shaft Run Shaft Rearing Fit Size</li> <li>Shaft Run Shaft Run Shaft Run Pit Size</li> <li>Shaft Run Pit Size<td>Root</td><td>Cause of Failure</td><td></td><td></td><td></td></li></ul>	Root	Cause of Failure			
ie Lower seal failed because of bent shaft . lead failed because it wash smashed Straighten shaft new seals and replace bearings repair lead Straighten Straighten Straight Straighten Str	84.	Component Failure		seal and motor le	ad
<ul> <li>86. Comments Straighten shaft new seals and replace bearings repair lead</li> <li>87. Service Technician RW <i>Guitable Cosign CRW Co sign CRW</i></li></ul>	85.	Cause of Failure			
Straighten shaft new seals and replace bearings repair lead         87. Service Technician         W         W         W         W         W         W         W         Service Technician         W         W         W         W         V         Co sign CRW         Bachive         Bachive         Shaft Run Out         Shaft Run Out         Initial Shaft Bearing Fit Size         Measure 1       Measure 2         Measure 1       Measure 2         Measure 1       Measure 3         ODE Bearing Shaft Fit       Measure 2         Measure 1       Measure 2         Measure 1       Measure 2         Measure 1       Measure 3         OTE Final Shaft Bearing Fit Size<		Lower seal failed because of bent shaft	l.lead failed because it wash smashed		
87. Service Technician       RW         Image: Service Technician       RW         Image: Service Technician       Subservice Technician         Image: Service Technician       Co sign CRW         technician Report         (F) Fail         (F) Fail         Solution Report         (F) Fail         (P) Pass	86.	Comments			
<ul> <li>Co sign CRW</li> <li>Co sign CRW</li> <li>Co sign CRW</li> <li>Rachime Fit Inspection Report</li> <li>Shaft Run Out</li> <li>Initial Shaft Run Out</li> <li>Initial Shaft Run Out</li> <li>Initial Shaft Run Out</li> <li>Final Shaft Run Out</li> <li>Final Shaft Run Out</li> <li>DE Bearing Shaft Fit</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>Measure 3</li> <li>Measure 4</li> <li>Measure 7</li> <li>Measure 7</li> <li>Measure 8</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>Measure 3</li> <li>Measure 1</li> <li>Measure 4</li> <li>Measure 2</li> <li>Measure 3</li> <li>Measure 3</li> <li>Measure 1</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 7</li> <li>Measure 7</li> <li>Measure 8</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 9</li> <li>Measure 1</li> <li>Measure 1</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>Measure 3</li> <li>Measure 3</li> <li>Measure 3</li> <li>Measure 4</li> <li>Measure 3</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 5</li> <li>Measure 5</li> <li>Measure 4</li> <li>Measure 6</li> <li>Measure 7</li></ul>		Straighten shaft new seals and replace	bearings repair lead		
Fit Inspection Report         88.       Shaft Run Out       (F) Fail         89.       Initial Shaft Run Out       0.008999999999999"         90.       Final Shaft Run Out       (P) Pass         91.       DE Bearing Shaft Fit       (P) Pass         92.       DE Initial Shaft Bearing Fit Size       (P) Pass         92.       DE Initial Shaft Bearing Fit Size       (P) Pass         93.       DE Final Shaft Bearing Fit Size       Measure 1         94.       ODE Bearing Shaft Fit       Measure 2         94.       ODE Bearing Shaft Fit       (P) Pass         95.       ODE Initial Shaft Bearing Fit Size       (P) Pass         95.       ODE Initial Shaft Bearing Fit Size       (P) Pass         96.       ODE Initial Shaft Bearing Fit Size       (P) Pass         97.       ODE Initial Shaft Bearing Fit Size       (P) Pass         98.       ODE Initial Shaft Bearing Fit Size       (P) Pass         99.       ODE Initial Shaft Bearing Fit Size       (P) Pass         90.       ODE Final Shaft Bearing Fit Size       (P) Pass         91.       ODE Final Shaft Bearing Fit Size       (P) Pass         92.       ODE Final Shaft Bearing Fit Size       (P) Pase         93.	87.	Service Technician		F	8W
<ul> <li>88. Shaft Run Out <ul> <li>(F) Fail</li> </ul> </li> <li>89. Initial Shaft Run Out <ul> <li>0.0089999999999999999999999999999999999</li></ul></li></ul>		Co sign CRW			
<ul> <li>89. Initial Shaft Run Out</li> <li>90. Final Shaft Run Out</li> <li>91. DE Bearing Shaft Fit</li> <li>92. DE Initial Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>1.1815</li> <li>30. DE Final Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>(P) Pass</li> <li>93. DE Final Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>(P) Pass</li> <li>94. ODE Bearing Shaft Fit</li> <li>Measure 4</li> <li>Measure 7</li> <li>(P) Pass</li> <li>95. ODE Initial Shaft Bearing Fit Size</li> <li>Measure 1</li> <li>Measure 2</li> <li>Measure 3</li> <li>(P) Pass</li> <li>(</li></ul>	Machi	ine Fit Inspection Report			
90.Final Shaft Run Out(P) Pass91.DE Bearing Shaft Fit(P) Pass92.DE Initial Shaft Bearing Fit SizeMeasure 31.18151.18151.181593.DE Final Shaft Bearing Fit SizeMeasure 494.Measure 1Measure 295.ODE Bearing Shaft FitMeasure 296.ODE Initial Shaft Bearing Fit Size(P) Pass97.ODE Initial Shaft Bearing Fit Size(P) Pass98.ODE Initial Shaft Bearing Fit Size(P) Pass99.ODE Final Shaft Bearing Fit Size(P) Pass90.ODE Final Shaft Bearing Fit Size(P) Pass91.Measure 1Measure 2(P) Pass92.ODE Final Shaft Bearing Fit Size(P) Pass93.ODE Final Shaft Bearing Fit Size(P) Pass94.Measure 1Measure 2(P) Pass95.ODE Final Shaft Bearing Fit Size(P) Pass96.ODE Final Shaft Bearing Fit Size(P) Pass97.Measure 1Measure 2(P) Pass98.Measure 1Measure 2(P) Pass99.Measure 1Measure 2(P) Pass99.Measure 1Measure 2(P) Pass99.Measure 1Measure 2(P) Pass99.Measure 1(P) Pass(P) Pass99.Measure 1(P) Pass(P) Pass90.Measure 1(P) Pass(P) Pass91.Measure 1(P) Pass(P) Pass92.Measure 1	88.	Shaft Run Out		(F) I	Fail
91.DE Bearing Shaft Fit(P) Pass92.DE Initial Shaft Bearing Fit SizeMeasure 1Measure 21.18151.18151.18151.181593.DE Final Shaft Bearing Fit SizeMeasure 1Measure 294.ODE Bearing Shaft FitMeasure 2Measure 395.ODE Initial Shaft Bearing Fit Size(P) Pass96.ODE Initial Shaft Bearing Fit Size(P) Pass97.Measure 1Measure 2(P) Pass98.ODE Initial Shaft Bearing Fit Size(P) Pass99.ODE Initial Shaft Bearing Fit Size(P) Pass91.Measure 1Measure 2(P) Pass92.ODE Final Shaft Bearing Fit Size(P) Pass93.ODE Final Shaft Bearing Fit Size(P) Pass94.Measure 1(P) Pass95.ODE Final Shaft Bearing Fit Size(P) Pass96.ODE Final Shaft Bearing Fit Size(P) Pass97.Measure 1Measure 2(P) Pass98.Measure 1(P) Pass(P) Pass99.Measure 1(P) Pa	89.	Initial Shaft Run Out		0.008999999999999999	9 "
92.DE Initial Shaft Bearing Fit SizeMeasure 1Measure 2Measure 31.18151.18151.181593.DE Final Shaft Bearing Fit SizeMeasure 1Measure 1Measure 2Measure 394.ODE Bearing Shaft Fit(P) Pass95.ODE Initial Shaft Bearing Fit Size(P) Pass96.ODE Initial Shaft Bearing Fit Size(P) Pass97.Measure 1Measure 2Measure 398.ODE Final Shaft Bearing Fit Size(P) Pass99.ODE Final Shaft Bearing Fit SizeMeasure 391.Measure 1Measure 292.ODE Final Shaft Bearing Fit Size(P) Pass93.ODE Final Shaft Bearing Fit Size(P) Pass94.Measure 1(P) Pass95.ODE Final Shaft Bearing Fit Size(P) Pass96.ODE Final Shaft Bearing Fit Size(P) Pass97.Measure 1(P) Pass98.Measure 1(P) Pass99.(P) Pase(P) Pase99.(P) Pase(P) Pase<	90.	Final Shaft Run Out			
Measure 1Measure 2Measure 31.18151.18151.181593. DE Final Shaft Bearing Fit SizeMeasure 1Measure 294. ODE Bearing Shaft FitMeasure 2(P) Pass95. ODE Initial Shaft Bearing Fit Size(P) Pass96. ODE Initial Shaft Bearing Fit SizeMeasure 397. ODE Initial Shaft Bearing Fit Size0.787798. ODE Final Shaft Bearing Fit SizeMeasure 499. ODE Final Shaft Bearing Fit SizeMeasure 391. Measure 1Measure 292. Measure 1Measure 293. ODE Final Shaft Bearing Fit SizeMeasure 394. ODE Final Shaft Bearing Fit SizeMeasure 395. ODE Final Shaft Bearing Fit SizeMeasure 396. ODE Final Shaft Bearing Fit SizeMeasure 397. Measure 1Measure 298. Measure 3Measure 3	91.	DE Bearing Shaft Fit		(P) Pa	ass
1.18151.18151.181593.DE Final Shaft Bearing Fit SizeMeasure 1Measure 294.ODE Bearing Shaft FitImage: Comparison of the street	92.	DE Initial Shaft Bearing Fit Size			
93. DE Final Shaft Bearing Fit Size93. Measure 1Measure 2Measure 394. ODE Bearing Shaft Fit(P) Pass95. ODE Initial Shaft Bearing Fit Size(P) PassMeasure 1Measure 2Measure 30.78770.78770.787796. ODE Final Shaft Bearing Fit SizeKeasure 2Measure 3Measure 1Measure 2Measure 397. ODE Final Shaft Bearing Fit SizeKeasure 398. ODE Final Shaft Bearing Fit SizeKeasure 399. ODE Final Shaft Bearing Fit SizeKeasure 399. ODE Final Shaft Bearing Fit SizeKeasure 399. ODE Final Shaft Bearing Fit SizeKeasure 3		Measure 1	Measure 2	Measure 3	
Measure 1Measure 2Measure 394.ODE Bearing Shaft Fit(P) Pass95.ODE Initial Shaft Bearing Fit Size(P) PassMeasure 1Measure 2Measure 30.78770.78770.787796.ODE Final Shaft Bearing Fit SizeVeasure 3Measure 1Measure 2Measure 397.0.78770.7877		1.1815	1.1815	1.1815	
94.ODE Bearing Shaft Fit(P) Pass95.ODE Initial Shaft Bearing Fit Size(P) PassMeasure 1Measure 2Measure 30.78770.78770.787796.ODE Final Shaft Bearing Fit SizeUse 2Measure 1Measure 2Measure 3	93.	DE Final Shaft Bearing Fit Size			
95.ODE Initial Shaft Bearing Fit SizeMeasure 1Measure 2Measure 30.78770.78770.78770.787796.ODE Final Shaft Bearing Fit SizeVerson 2Measure 3Measure 1Measure 2Measure 3		Measure 1	Measure 2	Measure 3	
95.ODE Initial Shaft Bearing Fit SizeMeasure 1Measure 2Measure 30.78770.78770.78770.787796.ODE Final Shaft Bearing Fit SizeVerson 2Measure 3Measure 1Measure 2Measure 3	94	ODE Bearing Shaft Fit		(P) P:	ass
Measure 1Measure 2Measure 30.78770.78770.787796.ODE Final Shaft Bearing Fit SizeVeasure 1Measure 1Measure 2Measure 3				(1)14	
0.78770.78770.787796.ODE Final Shaft Bearing Fit SizeMeasure 1Measure 2Measure 3	50.		Measure 2	Measure 3	
96. ODE Final Shaft Bearing Fit Size     Measure 1     Measure 2     Measure 3					
Measure 1 Measure 2 Measure 3	96		0.1011	0.1011	
	30.	-	Moosuro 2	Moosuro 2	
97. DE Air Seal Shaft Fit (P) Pass			เพียสอนไข 2	ivieasule s	
	97.	DE Air Seal Shaft Fit		(P) Pa	ass

98.	DE Air Seal Shaft Size		
	Initial	Final	
•	Na		
	ODE Air Seal Shaft Fit		(P) Pass
100.	ODE Air Seal Shaft Size		
	Initial	Final	
	Na		
101.	DE Endbell Fit		(P) Pass
102.	DE Initial Endbell Fit Size		
	Measure 1	Measure 2	Measure 3
	2.4416	2.4416	2.4416
103.	DE Final Endbell Fit Size		
	Measure 1	Measure 2	Measure 3
-	DE Endbell Fit Insulated		(NA) Not Applicable
	DE Endbell Air Seal Fit		(P) Pass
106.	DE Endbell Air Seal Fit Size		
	Initial	Final	
	Na		
•	ODE Endbell Fit		(P) Pass
	ODE Initial Endbell Fit Size		(Г) ГАЗЗ
100.	Measure 1	Measure 2	Measure 3
	1.851	1.851	1.851
109.	ODE Final Endbell Fit Size		
	Measure 1	Measure 2	Measure 3
110.	ODE Endbell Fit Insulated		(NA) Not Applicable
111.	ODE Endbell Air Seal Fit		(P) Pass
112.	ODE Endbell Air Seal Fit Size		
	Initial	Final	
	Na		
,	Foot Flatness		(NA) Not Applicable
	Foot Condition		(NA) Not Applicable
	Flange Condition		(P) Pass
	Service Technician		RW
	$\leq$		
/	1/ ~ /		
U			
Balan	cing Report		
	Balance Type		
	Balance Operating Speed		
	Start Left End		
	Start Right End		
	J.		

121	Balancing Specification					
	Finish Left End					
	B. Finish Right End					
	embly and Final Test					
	Rotor and Impeller Balanced					
	Stator Housing Refilled with Oil (if required)					
	2. Stator Pressure Test					
	. Seal Cavity Pressure Test					
	. Time Under Pressure					
	0. Overload Continuity					
	I. Water Sensor Open?					
	2. Meggar Testing Reading					
133.	Surge Test					
	Hi-Pot					
135.	Winding Resistance					
	1-2	2-3	3-1			
	Test Run					
137.	Test Run Voltage					
	Phase A	Phase B	Phase C			
400	T (D 0 )					
138.	Test Run Current					
	Phase A	Phase B	Phase C			
139	DE Vibration Reading					
100.	Horizontal	Vertical	Axial			
	Tionzontai	Venteal				
140.	ODE Vibration Reading					
	Horizontal	Vertical	Axial			
141.	Ambient Temp at start of Test Run					
142.	Temp at 5 minutes					
143.	Temp at 10 minutes					
144.	Temp at 15 minutes					
145.	Temp at 20 minutes					
146.	Temp at 25 minutes					
147.	Temp at 30 minutes					
148.	Temp at 35 minutes					
149.	Temp at 40 minutes					
150.	Temp at 45 minutes					
151.	Temp at 50 minutes					
	Temp at 55 minutes					
	Temp at 60 minutes					
	Motor Paint					
155.	Service Technician					



#### STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. <u>APPLICABILITY.</u> The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. <u>SCOPE OF GOODS AND/OR SERVICES.</u> The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only be effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. DELIVERY OF GOODS AND/OR SERVICES. Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- 6. DELIVERY SITE AND TIME FOR PERFORMANCE. Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. WARRANTIES. Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

**TermsAndConditions** 

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. LIMITATION OF DAMAGES. HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY</u>. The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. <u>GOVERNING LAW AND JURISDICTION.</u> Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. <u>ABANDONED EQUIPMENT.</u> Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER</u>. No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. <u>ASSIGNMENT.</u> The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. <u>NO INDIVIDUAL LIABILITY</u>. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.