

Job Information

Job #: 96297 Date: December 12,

2019

Priority: — Authorized OT: No Authorized by:

Customer Information

Name: U.A.M.S. Reason:

Contact: Motor#: PO#:

Application: — Special notes: Customer requests bearings be changed only.

Model#:

Frame:

Name Plate Information

1.15

No

Serial#:

Service Factor:

Special design:

Manufacturer: Hyundai Enclosure: Totally Enclosed Enclosure Type image

324TC

Fan Cooled

Horsepower/kW: 25 Rated RPM: 1180

Rated Amps: 63.0/31.5 Rated Voltage: 230/460

Phase: 3 Cycles: 60

Nameplate DE ODE F1 F2 Top







Fax 901-873-5301



Mechanical Inspection

Inspect bolt holes and fasteners. Validate correct fasteners.

Does the shaft turn freely?: Yes Contaminant(s): None

Shaft rotation: Bi-directional Contaminant(s) Amt: None

Shaft grounding device

present?:

Type of grounding device:

Shaft runout(TIR-Inbound):

Bearings DE: Worn Bearings DE make: Other

Insulated: No Bearing DE Size: 6313 Z

Bearings ODE: Worn Bearings ODE make: FAG

Bearing Type: Ball Bearing ODE Size: 6211 C3

Bearings Retainer: Yes Thermal Protection: No

Retainer condition: — Thermal Protection Type: —

Bearing Type Image



Bearing Make Image



Bearing Retainer Image



Thermal Protection



Mechanical Inspection (Continued)

Lubrication Type: Grease Thermal Protection device DE: -

Lubrication brand inbound: Unknown Thermal Protection device ODE: —

Lubrication brand outbound: Unknown

Grease Amt DE: Full Grease Cond. DE: New

Grease Amt ODE: Full Grease Cond. ODE: New

Seals DE type: N/A

Seals DE size:

Seals DE (inbound) condition:

Seals ODE type: N/A

Seals ODE size:

Seals ODE (inbound) condition

:

Shaft damage cause: None Shaft Image:





Mechanical Inspection (Continued)

Brg. Image:



Water jacket: N/A Fan: Ok Frame cond.: Good





Motor Mount Position: Horizontal/Foot mount Endbell type: Single piece

Missing parts? Endbell Image:

☐ J-Box cover ☐ O-rings ☐ J-Box

☐ HH cover ☐ Glands ☐ None

Other missing parts





Mechanical Inspection (Continued)

Air Gap Meaurements (N/A on Single Piece Endbell)

Does Air Gap Meet Customer or EASA spec(<10% variation)?

DE @ 0 ODE @ 0 -

DE @ 90 ODE @ 90

DE @ 180 ODE @ 180

DE @ 270 ODE @ 270

AC Electrical Inspection

Number of leads: — Terminal Markings:

Length of leads: REF: NEMA Stds. MG 1-2009, Rev. 1-2010, 2.41-Terminal

Markings Identified By Color:

Size of leads: 1-Blue 5-Black P1-No color assigned

2-White 6-No color assigned P2-Brown

3-Orange 7-No color assigned

Lead condition: Good 4-Yellow 8-Red

Connections As Received: Lug type:

Lug Condition: Good Terminal Lugs

Lug size:

Lug Attachment: Acceptable



Rotor



AC Electrical Inspection (Continued)

Rotor Type:	Cast Aluminum	
Rotor Condition:	Ok	Num rotor bars:
		Num broken bars:

Rotor Test Results

Visual: Pass Growler: Pass Single phase: Pass

Stator type: Factory If other, stator type:

Stator condition: Ok If other, stator condition:

Failure location: Other If other, stator failure:



AC Electrical Inspection (Continued)

Winding color	: Like new	Windin	g image	Winding T	hermal Protection:	Yes
Winding condition	: Solid					
Winding Therma Protection DE						
Winding Therma Protection ODE						
Stator test results	: Salvageat	ble				
Megs incoming:	Good	Surge incoming:	Good	н	i-pot incoming:	Good
Winding Resistance	e Incoming					
Ph	nases A to B	Phases B to C	F	Phases C to A	Resistive i	mbalance
Incoming						
Leads/jui	mpers: Ok					
If other, leads/jumpers:						
Mechanical Ir	spection					
Inspect bolt holes an	d fasteners. Va	alidate correct fasteners.				
Shaft C	ondition: G	ood	Ве	arings Retainer:	Yes	
Type of grounding	g device:		В	Bearing DE Size:	6313 Z	
Shaft runout(TIR-I	nbound):		Bea	aring ODE Size:	6211 C3	
Retainer c	ondition: –					

Brg. Seats DE:

Good



Seals DE condition:

Mechanical Inspection (Continued)

Worn

Seals DE type: N/A	If DE undersized, amt.:	
Seals DE size:	Brg. Seats ODE:	Good
eals DE (inbound) condition :	If ODE undersized, amt.:	
Seals ODE condition : Worn	Shaft damage:	ОК
Seals ODE type: N/A		
Seals ODE size:	Bushings/sleeves DE:	Ok
ls ODE (inbound) condition :	Bushings/sleeves ODE:	Ok
Endbell fits/damage: Good	Foot/Flange condition:	Ok
Endbell DE size:	Foot flatness:	Pass
Endbell DE insulated?: —	Does Air Gap Meet Cus	tomer or EASA spec(<10%
Endbell ODE size:	variation)?	

Endbell ODE insulated?:

Hilla



Conclusion

~	m	no	no	nt	Eai	lure
U	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	υu	או וע	; I I L	гаі	ıuı e

Bearings

Cause of Failure

Comments

Customer requests bearings be changed on motor assembly.

Service Tech name: Terrence Holland

Service Tech signature:

Fax 901-873-5301