

# **Motor Shop Repairs**

## Job Number 97511

Prepared for Community Water System (12207)

299 Lakeshore Drive Greers Ferry AR 72067

## **Table of Contents**



Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Printed on 10/29/2020 Powered by INSPECTALL Table of Contents



FolderID: 97511

FormID: 9225550



### **AC Recondition Repair Report**

Community Water System (12207) 299 Lakeshore Drive

Greers Ferry, AR 72067

Driorition Found: A Ligh

5. Model         TYPE: RVE-4           6. Serial Number         369725           7. Horsepower         200           8. KW         460           9. Volts         460           10. Amps         230           11. RPM         1780           12. Frame         445VPA           13. Enclosure         TEFC           14. Cycles         60           15. Phase         3           16. Service Factor         1.15           17. Motor Mount Position         vertical flange mount           Initial Inspection         •           18. Number of Leads         6         P13           19. Lead Length         14 Inches           20. Lead Size         2         •           21. Lead Condition         (P) Pass           22. Lead Markings         123789           23. Lug Size, Condition, and Type         Same as wire size           24. Winding RTD's         ***           25. Winding Rtd's Condition         ***           26. Shaft Run Out         ***           27. Does Shaft Turn Freely         yes           28. Does Shaft Have Visible Damage         ***           29. Bearing Rtd's Condition         ***	Priorities	Found: 1 - High 11 - Good		
2.         Report Date         10/29/2020           3.         Customer         COMMUNITY WATER           Name Plate Information         US ELECTRIC         PS           4.         Manufacturer         US ELECTRIC         PS           5.         Model         TYPE: RVE-4         4           6.         Serial Number         369725         5           7.         Horsepower         200         4           8.         KW         200         4           9.         Volts         460         10.         Amps         230         11.         17.         460         10.         Amps         230         11.         17.         Molosure         445VPA	Gene	ral		
Name   Plate Information   Plate Information	1.	Job Number	97511	
Name Plate Information         Content of the part of the	2.	Report Date	10/29/2020	
Manufacturer	3.	Customer	COMMUNITY WATER	
5. Model         TYPE: RVE-4           6. Serial Number         369725           7. Horsepower         200           8. KW         460           9. Volts         460           10. Amps         230           11. RPM         1780           12. Frame         445VPA           13. Enclosure         TEFC           14. Cycles         60           15. Phase         3           16. Service Factor         1.15           17. Motor Mount Position         vertical flange mount           Initial Inspection         0           18. Number of Leads         6         P13           19. Lead Length         14 Inches           20. Lead Size         2         2           21. Lead Condition         (P) Pass           22. Lead Markings         123789           23. Lug Size, Condition, and Type         3me as wire size           24. Winding RTD's         2           25. Winding Rtd's Condition         yes           26. Shaft Run Out         2           27. Does Shaft Turn Freely         yes           28. Does Shaft Have Visible Damage         9earing Rtd's Condition           30. Bearing Rtd's Condition         9earing Rtd's Co	Name	Plate Information		0
6. Serial Number         369725           7. Horsepower         200           8. KW	4.	Manufacturer	US ELECTRIC	P5
7. Horsepower       200         8. KW       460         9. Volts       460         10. Amps       230         11. RPM       1780         12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       Image: Company of the end of th	5.	Model	TYPE: RVE-4	
8. KW         9. Volts       460         10. Amps       230         11. RPM       1780         12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       1         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type       Same as wire size         24. Winding RTD's       2         25. Winding Rtd's Condition       2         26. Shaft Run Out       2         27. Does Shaft Turn Freely       yes         28. Does Shaft Have Visible Damage       2         29. Bearing Rtd's       2         30. Bearing Rtd's Condition       P104	6.	Serial Number	369725	
9. Volts       460         10. Amps       230         11. RPM       1780         12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       vertical flange mount         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type       same as wire size         24. Winding RTD's       2         25. Winding Rtd's Condition       2         26. Shaft Run Out       yes         27. Does Shaft Turn Freely       yes         28. Does Shaft Ture Visible Damage       2         29. Bearing Rtd's       3         30. Bearing Rtd's Condition       P104         31. Contamination       P104	7.	Horsepower	200	
10. Amps       230         11. RPM       1780         12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       vertical flange mount         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type       Same as wire size         24. Winding RTD's       2         25. Winding Rtd's Condition       yes         26. Shaft Run Out       yes         27. Does Shaft Turn Freely       yes         28. Does Shaft Ture Visible Damage       2         29. Bearing Rtd's       30. Bearing Rtd's Condition         31. Contamination       P104	8.	KW		
11. RPM       1780         12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       6         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type Same as wire size       123789         24. Winding RTD's       25. Winding RTD's         25. Winding RTD's       25. Winding RTD's         26. Shaft Run Out       yes         27. Does Shaft Turn Freely       yes         28. Does Shaft Have Visible Damage         29. Bearing Rtd's         30. Bearing Rtd's         31. Contamination       P104	9.	Volts	460	
12. Frame       445VPA         13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection       6       P13         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type Same as wire size       123789         24. Winding RTD's       25. Winding Rtd's Condition         25. Winding Rtd's Condition       yes         26. Shaft Run Out       27. Does Shaft Turn Freely       yes         28. Does Shaft Have Visible Damage       29. Bearing Rtd's         30. Bearing Rtd's Condition       P104         31. Contamination       P104	10.	Amps	230	
13. Enclosure       TEFC         14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type       3me as wire size         24. Winding RTD's       25. Winding Rtd's Condition         25. Shaft Run Out       27. Does Shaft Turn Freely       yes         28. Does Shaft Turn Freely       yes         28. Does Shaft Have Visible Damage       29. Bearing Rtd's         30. Bearing Rtd's Condition       P104         31. Contamination       P104	11.	RPM	1780	
14. Cycles       60         15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type Same as wire size       123789         24. Winding RTD's       25. Winding Rtd's Condition         25. Winding Rtd's Condition       yes         28. Does Shaft Run Out       yes         29. Bearing Rtd's       30. Bearing Rtd's         30. Bearing Rtd's Condition       P104         31. Contamination       P104	12.	Frame	445VPA	
15. Phase       3         16. Service Factor       1.15         17. Motor Mount Position       vertical flange mount         Initial Inspection         18. Number of Leads       6       P13         19. Lead Length       14 Inches         20. Lead Size       2         21. Lead Condition       (P) Pass         22. Lead Markings       123789         23. Lug Size, Condition, and Type Same as wire size       24. Winding RTD's         25. Winding Rtd's Condition       26. Shaft Run Out         27. Does Shaft Turn Freely       yes         28. Does Shaft Have Visible Damage       29. Bearing Rtd's         30. Bearing Rtd's Condition       P100         31. Contamination       P100	13.	Enclosure	TEFC	
1.15 17. Motor Mount Position vertical flange mount  Initial Inspection 18. Number of Leads 6 P13 19. Lead Length 14 Inches 20. Lead Size 2 21. Lead Condition (P) Pass 22. Lead Markings 123789 23. Lug Size, Condition, and Type Same as wire size 24. Winding RTD's 25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely yes 28. Does Shaft Turn Freely yes 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	14.	Cycles	60	
17. Motor Mount Position  Initial Inspection  18. Number of Leads  6 P13  19. Lead Length  14 Inches  20. Lead Size  21. Lead Condition  (P) Pass  22. Lead Markings  123. Lug Size, Condition, and Type Same as wire size  24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Turn Freely  29. Bearing Rtd's  30. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	15.	Phase	3	
Initial Inspection  18. Number of Leads 19. Lead Length 114 Inches 20. Lead Size 21. Lead Condition (P) Pass 22. Lead Markings 123789  23. Lug Size, Condition, and Type Same as wire size  24. Winding RTD's 25. Winding RTD's 26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Turn Freely 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	16.	Service Factor	1.15	
18. Number of Leads  19. Lead Length  14 Inches  20. Lead Size  2 2  21. Lead Condition  (P) Pass  22. Lead Markings  123789  23. Lug Size, Condition, and Type Same as wire size  24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's  31. Contamination	17.	Motor Mount Position	vertical flange mount	
19. Lead Length 20. Lead Size 21. Lead Condition (P) Pass 22. Lead Markings 23. Lug Size, Condition, and Type Same as wire size 24. Winding RTD's 25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	Initial	Inspection		0
20. Lead Size 2 21. Lead Condition (P) Pass 22. Lead Markings 123789 23. Lug Size, Condition, and Type Same as wire size 24. Winding RTD's 25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely yes 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	18.	Number of Leads	6	P13
<ul> <li>21. Lead Condition (P) Pass</li> <li>22. Lead Markings 123789</li> <li>23. Lug Size, Condition, and Type Same as wire size</li> <li>24. Winding RTD's</li> <li>25. Winding Rtd's Condition</li> <li>26. Shaft Run Out</li> <li>27. Does Shaft Turn Freely yes</li> <li>28. Does Shaft Have Visible Damage</li> <li>29. Bearing Rtd's</li> <li>30. Bearing Rtd's Condition</li> <li>31. Contamination</li> </ul>	19.	Lead Length	14 Inches	
22. Lead Markings  23. Lug Size, Condition, and Type Same as wire size  24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	20.	Lead Size	2	
23. Lug Size, Condition, and Type Same as wire size  24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	<b>2</b> 1.	Lead Condition	(P) Pass	
Same as wire size  24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	22.	Lead Markings	123789	
24. Winding RTD's  25. Winding Rtd's Condition  26. Shaft Run Out  27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	23.	Lug Size, Condition, and Type		
25. Winding Rtd's Condition 26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination		Same as wire size		
26. Shaft Run Out 27. Does Shaft Turn Freely 28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	24.	Winding RTD's		
27. Does Shaft Turn Freely  28. Does Shaft Have Visible Damage  29. Bearing Rtd's  30. Bearing Rtd's Condition  31. Contamination	25.	Winding Rtd's Condition		
28. Does Shaft Have Visible Damage 29. Bearing Rtd's 30. Bearing Rtd's Condition 31. Contamination	26.	Shaft Run Out		
<ul> <li>29. Bearing Rtd's</li> <li>30. Bearing Rtd's Condition</li> <li>31. Contamination</li> <li>P104</li> </ul>	27.	Does Shaft Turn Freely	yes	
30. Bearing Rtd's Condition 31. Contamination P104	28.	Does Shaft Have Visible Damage		
31. Contamination P104	29.	Bearing Rtd's		
	30.	Bearing Rtd's Condition		
Dirt and miving grassa	31.	Contamination		P104
Ditt and mixing grease		Dirt and mixing grease		

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

32.	Frame Condition	(P) Pass	P106
33.	Fan Condition		
34.	Broken or missing components		
	No		
Initial	Electric Test		
35.	Resistance to Ground		
36.	Winding Resistance 1-2		
37.	Winding Resistance 2-3		
38.	Winding Resistance 1-3		
39.	Resistive Imbalance		
40.	Hi-Pot		
41.	Surge Test		
42.	Stator Condition		
43.	Failure Location		
Initial	Rotor Inspection		О
	Rotor Type	cast aluminum	 P4
45.	Air Gap <10% Variation		
46.	Number of Rotor Bars	60	
47.	Number of Broken Rotor Bars	0	
48.	Growler Test	(P) Pass	
49.	Rotor Condition	(P) Pass	
Mech	anical Inspection		O
50.	Bearing Manufacture	fag	P1
51.	Bearing DE Size	7322b	P15
52.	Bearing DE Type	thrust	
53.	DE Bearing Qty.	1	
54.	Bearing ODE Size	6215	P43
55.	Bearing ODE Type	ball	
56.	ODE Bearing Qty.	1	
57.	Insulated Bearing	no	
58.	Lubrication Type	oil and grease	
59.	Grease Condition	(F) Fail	P74
60.	Bearing Retainers	(Y) Yes	P80
61.	Shaft Grounding Device	(NA) Not Applicable	
62.	DE Seal		
63.	DE Seal Type/Size		
64.	ODE Seal		
65.	ODE Seal Type/Size		
Root	Cause of Failure		
66.	Component Failure	bearings	
67.	Cause of Failure		
	Normal wear and mixing grease		
68.	Comments		

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

69. Service Technician Trevor Hall

/n/all
Inchina Eit Inchestion Benert

1		ne Fit Inspection Report	
		Shaft Run Out	(P) Pass
	71.	Initial Shaft Run Out	0.001 "
	72.	Final Shaft Run Out	
	73.	DE Bearing Shaft Fit	(P) Pass
	74.	DE Initial Shaft Bearing Fit Size 1	4.3317 "
		DE Initial Shaft Bearing Fit Size 2	4.3316 "
	76.	DE Initial Shaft Bearing Fit Size 3	4.3316 "
	77.	DE Finial Shaft Bearing Fit Size 1	
	78.	DE Finial Shaft Bearing Fit Size 2	
	79.	DE Finial Shaft Bearing Fit Size 3	
)	80.	ODE Bearing Shaft Fit	(P) Pass
	81.	ODE Initial Shaft Bearing Fit Size 1	2.9531 "
	82.	ODE Initial Shaft Bearing Fit Size 2	2.9531 "
	83.	ODE Initial Shaft Bearing Fit Size 3	2.953 "
	84.	ODE Finial Shaft Bearing Fit Size 1	
	85.	ODE Finial Shaft Bearing Fit Size 2	
	86.	ODE Finial Shaft Bearing Fit Size 3	
	87.	DE Air Seal Shaft Fit	
	88.	DE Initial Air Seal Shaft Size	
	89.	DE Final Air Seal Shaft Size	
	90.	ODE Air Seal Shaft Fit	
	91.	ODE Initial Air Seal Shaft Size	
	92.	ODE Final Air Seal Shaft Size	
)	93.	DE Endbell Fit	(P) Pass
	94.	DE Initial Endbell Fit Size 1	9.4498 "
	95.	DE Initial Endbell Fit Size 2	9.4498 "
	96.	DE Initial Endbell Fit Size 3	9.4498 "
	97.	DE Final Endbell Fit Size 1	
	98.	DE Finial Endbell Fit Size 2	
	99.	DE Final Endbell Fit Size 3	
	100.	DE Endbell Fit Insulated	
	101.	DE Endbell Air Seal Fit	
	102.	Initial Endbell Air Seal Fit Size	
	103.	Finial Endbell Air Seal Fit Size	
)	104.	ODE Endbell Fit	(P) Pass
	105.	ODE Initial Endbell Fit Size 1	5.1189 "
	106.	ODE Initial Endbell Fit Size 2	5.1189 "
	107.	ODE Initial Endbell Fit Size 3	5.1189 "
	108.	ODE Final Endbell Fit Size 1	
	109.	ODE Final Endbell Fit Size 2	
	110.	ODE Final Endbell Fit Size 3	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

444	
	ODE Endbell Fit Insulated
	ODE Endbell Air Seal Fit
	ODE Initial Endbell Seal Fit Size
	ODE Finial Endbell Seal Fit Size
	Foot Flatness
	Foot Condition
	Flange Condition (P) Pass
118.	Service Technician Trevor Hall
	//~ 01//
	cing Report
	Balance Type
	Balance Operating Speed
	Start Left End
	Start Right End  Relative Specification
	Balancing Specification
	Finish Left End
	Finish Right End
	Service Technician
	nbly and Final Test
	Meggar Testing Reading
	Surge Test Hi-Pot
	Winding Resistance 1-2 Winding Resistance 2-3
	Winding Resistance 2-3 Winding Resistance 1-3
	Test Run Voltage Phase A
	Test Run Amps A
	Test Run Voltage Phase B
	Test Run Amps B
	Test Run Voltage Phase C
	Test Run Amps C
	DE Horizontal Vibration Reading
	DE Vertical Vibration Reading
	DE Axial Vibration Reading
	ODE Horizontal Vibration Reading
143.	ODE Vertical Vibration Reading
144.	ODE Axial Vibration Reading
145.	Ambient Temp at start of Test Run
146.	Temp at 5 minutes
147.	Temp at 10 minutes
148.	Temp at 15 minutes
149.	Temp at 20 minutes
150.	Temp at 25 minutes
4 = 4	

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

151. Temp at 30 minutes

152. Temp at 35 minutes	
153. Temp at 40 minutes	
154. Temp at 45 minutes	
155. Temp at 50 minutes	
156. Temp at 55 minutes	
157. Temp at 60 minutes	
158. Motor Paint	
159. Service Technician	



Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



P106.19

P106.18

P106.17



#### STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. APPLICABILITY. The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. SCOPE OF GOODS AND/OR SERVICES. The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only bee effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. <u>DELIVERY OF GOODS AND/OR SERVICES.</u> Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- **DELIVERY SITE AND TIME FOR PERFORMANCE.** Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have sixty (60) days to cure the alleged discrepancy and/or nonconformance. If Hi-Speed fails to cure in this time period, Buyer shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. WARRANTIES. Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. <u>LIMITATION OF DAMAGES.</u> HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY.</u> The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. **GOVERNING LAW AND JURISDICTION.** Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. ABANDONED EQUIPMENT. Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER.</u> No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. **ASSIGNMENT.** The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. NO INDIVIDUAL LIABILITY. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.