

EVERY DAY SINCE 1946

Motor Shop Repairs

Job Number 99861

Prepared for Reynolds Metals company

1333 highway 270 Malvern AR 72104

Table of Contents

DC Repair Report - Shop



FolderID: 99861 FormID: 13740569

DC Repair Report Reynolds Metals company

1333 highway 270 Malvern, AR 72104



DC Repair Rep	ort Rev. 2	Hi-Speed Job Number:	99861
Location:	Shop	Manufacturer:	GE
Job Number:	99861	Product Number :	5CD203PA007A810
Serial Number:	5CD203PA007A810	Serial Number:	5CD203PA007A810
Status:	In need of Repair	HP/KW:	100 (HP)
Description:100	HP GE 1750RPM CD407AT	RPM:	1750
		Frame:	CD407AT
		Armature Voltage:	500 (Volts)
		Armature Current:	161 (Amps)
		Field Voltage:	240 (Volts)
		Field Current :	3.7 (Amps)
		J-Box Included:	No
		Date Received:	06/01/2022
		Bearing RTDS:	No
		Winding RTDS:	No
		Mounting Orientation :	Horizontal

Priorities Found: **2 - High**

7 - Good



1. Describe the Overall Condition of the Equipment as Received Very dirty 2. Nameplate Picture Distance From the End of the Shaft to the end of the Face of the Sheave/Coupling 3.

Initial Mechanical/Electrical

۲	4.	Does the Shaft Turn Freely?
	.	Bearings feel rough

(Y) Yes

0

• 5.	Does Shaft Have Visible Damage?		(No) No
6.	Assembled Shaft Runout		0.0005 Inches
7.	Assembled Shaft End Play		0 Inches
8.	Air Gap Variation <10%		
9.	Lead Condition		(P) Pass
10.	Lead Length		10 Inches
12.	Fan Condition		(NA) Not Applicable
13.	Brush Information		
	Brush Number	Quantity	Condition
	6a164451abp0	8	worn
14.	Brush Holder Condition - Verify prope	r gap to Commutator	good, posts are rusted



Incoming Electrical Test

15. General Condition of the Armature/Commutator



16. Armature Insulation Resistance to Ground



17. Field Circuit Insulation Resistance to Ground



18. Interpole Circuit Insulation Resistance to Ground



19.	Field Drop Test Fields 1&2		
	Total AC Voltage	Field #1	Field #2
	457	2.98	2.98

Hi-Speed Industrial Service disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Hi-Speed. Hi-Speed shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

commutator needs turned and undercut

1,072 Megohms

3.546 Megohms

2.351 Megohms

Fi 45 21. Fi 2. 22. Fi 22. Fi 23. In 70 23. In 10 23. In 10 0. 25. In	ield Drop Test Fields 3&4 ield #3 57 ield Drop Test Fields 5&6 ield #5 .98 ield Drop Test Fields 7&8 ield #7	Fleld #4 2.98 Fleld #6 2.98 Fleld #8	Field #2 Field #2
45 21. Fi 2. 22. Fi 22. Fi 70 23. In 70 24. In 10 0. 25. In	57 ield Drop Test Fields 5&6 ield #5 .98 ield Drop Test Fields 7&8 ield #7	2.98 Fleld #6 2.98	
21. Fi Fi 22. Fi 22. Fi 23. In 70 23. In 70 24. In 10 0. 25. In	ield Drop Test Fields 5&6 ield #5 .98 ield Drop Test Fields 7&8 ield #7	FleId #6 2.98	Field #2
Fi 22. Fi 22. Fi 23. In 23. In 70 24. In 1n 0. 25. In	ield #5 .98 ield Drop Test Fields 7&8 ield #7	2.98	Field #2
22. Fi 22. Fi 23. In 23. In 70 24. In In 0. 25. In	. 98 ield Drop Test Fields 7&8 ield #7	2.98	Field #2
22. Fi Fi 23. In 70 24. In 10 0. 25. In	ield Drop Test Fields 7&8 ield #7		
23. In 23. In 70 24. In In 0. 25. In	ield #7	Fleld #8	
23. In To 24. In In 0. 25. In		Fleld #8	
24. In 24. In 0.3 25. In	terpole Drop Test 1&2		Field #2
24. In 24. In 0.3 25. In	nterpole Drop Test 1&2		
24. In In 0. 25. In			
In 0. 25. In	otal AC Voltage	Interpole #1	Interpole #2
In 0. 25. In		0.98	0.98
0. 25. In	terpole Drop Test 3&4		F : 11 #0
25. In	nterpole #3	Interpole #4	Field #2
	.98 Iterpole Drop Test 5&6	0.98	
IN		Internale #6	Field #2
	nterpole #5	Interpole #6	Field #2
26. In	terpole Drop Test 7&8		
	nterpole #7	Interpole #8	Field #2
27. Ar	rmature Number of Bars - Bar to Bar	Test	
N	lumber of Bars	Bar to Bar Test	
Mechani	ical Inspection		
28. SH	haft Runout Drive End		0.0005 inches

29. Shaft Runout Armature Drive End Bearing Journal

Armature Core 0.002

ODE Bearing Journal

30. Drive End Bearing Number



~ 4		
31.	Drive End Bearing Quantity	1
32.	Drive End Bearing Type	(Ball) Ball Bearing
33.	Drive End Lubrication Type	(Grease) Grease Lubricated
34.	5	(NA)
35. 36.	, , , , , , , , , , , , , , , , , , , ,	no bearing fluted
37.	Opposite Drive End Bearing Number	6213
28	Opposite Drive End Rearing Quentity	1
38.	Opposite Drive End Bearing Quantity	-
39. 40	Opposite Drive End Lubrication Type	(Ball) Ball Bearing
40.	Opposite Drive End Lubrication Type	(Grease) Grease Lubricated
41. 42	Opposite Drive End Bearing Insulation or Grounding Device?	(NA)
42.	Opposite Drive End Wavy Washer/Snap-Ring Other Retention Device?	no heering fluted
43.	Opposite Drive End Bearing Condition Ageis ring shaft size 2.876	bearing fluted

44. Signature of Technician who Performed Teardown

RW

	20			
	List Parts Needed Prior to Reassembl	У		
	anical Fits - Armature			
46.	Coupling Fit Closest to Bearing Housi			
	0 Degrees	60 degrees	120 degrees	
47.	Coupling Fit Closest to the End of the	Shaft		
	0 Degrees	60 degrees	120 degrees	
	5	č	U U	
48.	Drive End Bearing Shaft Fit			
	0 Degrees	60 Degrees	120 Degrees	
	2.7562 Drive End Bearing Shaft Fit Condition	2.7562	2.7562	(P) Pass
50.	Opposite Drive End Bearing Shaft Fit	-	-	
	0 Degrees	60 Degrees	120 Degrees	
	2.5594	2.5594	2.5594	(=) =
	Opposite Drive End Bearing Shaft Fit	Condition		(P) Pass
52.	Shaft Air Seal Fits			
	Drive End Air Seal	Opposite Drive End Air Seal		
Mech	anical Fits- Bearing Housings			
	Drive End - End Bell Bearing Fit			
	0 Degrees	60 Degrees	120 Degrees	
	4.9228	4.9219	4.9169	

54. Drive End - Endbell Bearing Fit Condition

Resleeve



-			
55.	Opposite Drive End - End Bell Bearin	g Fit	
	0 Degrees	60 Degrees	120 Degrees
	4.7253	4.724	4.7251
• 56.	Opposite Drive End - Endbell Bearing Resleeve	Fit Condition	(F) Fail
57.	Bearing Cap Condition		
	Drive End	Opposite Drive End	
	good	good	
58.	End Bell Air Seal Fits		
	Drive End Air Seal	Opposite Drive End Air Seal	
59.	List any Machine work Needed Below	,	
ou.	Signature of Technician Performing M	leasurements	RW
Dynai	mic Balance Report		
61.	Rotor Weight and Balance Grade		
	Rotor Weight	Balance Grade	
62.	Initial Balance Readings		
	Drive End Readings	Opposite Drive End Readings	
63.	Final Balance Readings		
	Drive End Readings	Opposite Drive End Readings	
	Signature of the Balance Technician		
	nutator Data		
	Total Copper Segment Length		
66.	Number of Bars		

67.	Number of Wires Per Copper Bar and	Size	
	Number of Wires per Bar	Wire Size	
68.	Equalizers per Copper Bar and Equali	zer Wire Size	
	Equalizers per Bar	Wire Size	
69.	Document Commutator Diameter, Min	imum and Max	
	Current Comm Diameter	Minimum Comm Diameter	Maximum Comm Diameter
70.	Commutator Shaft Diameter		
	Front Shaft Diameter	Back Shaft Diameter	
71			
71.	Commutator Type Commutator Bore		
		to	
	Signature of Technician Recording Da		
	Armature Rewind Testing Post Rewind Armature Insulation Resi	atapas to Cround	
	Post Rewind Armature Insulation Resi		
	Post Rewind Armature Number of Bar		
70.	Number of Bars		
		Bar to Bar Test	
77.	Post Rewind Field Circuit Insulation R	esistance to Ground	
78.	Post Rewind Interpole Circuit Insulation		
	Post Rewind Field Drop Test Fields 18		
	Total AC Voltage	Field #1	Field #2
	5		
80.	Post Rewind Field Drop Test Fields 38	\$4	
	Field #3	Fleld #4	Field #2
		-	
81.	Post Rewind Field Drop Test Fields 58		
	Field #5	Fleld #6	Field #2
82	Post Rewind Field Drop Test Fields 78	28	
02.	Field #7	Fleid #8	Field #2
83.	Post Rewind Interpole Drop Test 1&2		
	Total AC Voltage	Interpole #1	Interpole #2
84.	Post Rewind Interpole Drop Test 3&4		
	Interpole #3	Interpole #4	Field #2
05			
85.	Post Rewind Interpole Drop Test 5&6		F : 11/0
	Interpole #5	Interpole #6	Field #2
86	Post Rewind Interpole Drop Test 7&8		
00.	Interpole #7	Interpole #8	Field #2
Post I	Mechanical Repair		
	•		

87.	Post Repair Coupling Fit Closest to B	earing Housing			
	0 Degrees	60 degrees	120 degrees		
88.	Post Repair Coupling Fit Closest to the End of the Shaft				
	0 Degrees	60 degrees	120 degrees		
	5	5	5		
89.	. Post Repair Drive End Bearing Shaft Fit				
	0 Degrees	60 Degrees	120 Degrees		
90.	Post Repair Drive End Bearing Shaft	Fit Condition			
	Post Repair Drive End Opposite Drive				
	0 Degrees	60 Degrees	120 Degrees		
	o Deglees	00 D091000	120 Degrees		
92.	Post Repair Drive End Opposite Drive	e End Bearing Shaft Fit Condition			
	Post Repair Drive End - End Bell Bea	-			
00.	0 Degrees	60 Degrees	120 Degrees		
	o Degrees	U Degrees	120 Degrees		
94.	Post Repair Drive End - Endbell Bear	ing Fit Condition			
	Post Repair Opposite Drive End - En	-			
00.	0 Degrees	60 Degrees	120 Degrees		
	0 Degrees	00 Degrees	120 Degrees		
96	Post Repair Opposite Drive End - En	dbell Bearing Fit Condition			
	Post Repair Bearing Cap Condition				
57.	Drive End	Opposito Drivo End			
	Drive End	Opposite Drive End			
98	Post Repair End Bell Air Seal Fits				
00.	Drive End Air Seal	Opposite Drive End Air Seal			
	Drive Erid Ali Seal	Opposite Drive End All Seal			
99	Signature of Tech Performing Mecha	nical Repairs			
Asser					
	•	to Drive to Decessorithy			
	Take Pictures of all Major Componen	-			
101.	Verify Brush Box Holders Have the P Seated Properly	roper Clearance, and Brushes have been			
102	Assembled Shaft End Play and Runo	uf			
102.	Shaft Endplay	Shaft Runout			
	Shart Enuplay	Shart Ruhout			
103	Perform No-Load Test Run, Record A	Armature Voltage and Current			
100.		Current			
	Voltage	Guneni			
104	Perform No-Load Test Run, Record F	Field Voltage and Current			
101.	Voltage	Current			
	Voltage	Gundhi			
105	Document Vibration Readings Drive I	End			
100.	Horizontal	Vertical	Axial		
	nonzoniai	venudi	Αλίαι		
106	Document Vibration Readings Oppos	ite Drive End			
100.	Horizontal	Vertical	Axial		
	ΠΟΠΖΟΠΙΔΙ	veilleai			

107.	Perform Full-Load Test Run, Record A	Armature Voltage and Current	
	Voltage	Current	
108.	Perform Full-Load Test Run, Record F	Field Voltage and Current	
	Voltage	Current	
109.	Document Vibration Readings Under I	Full Load Drive End	
	Horizontal	Vertical	Axial
110.	Document Vibration Readings Under I	Full Load Opposite Drive End	
	Horizontal	Vertical	Axial
111.	Ambient Temperature		
112.	Drive End Bearing Temps Under Full	Load	
	5 Minutes	10 Minutes	15 Minutes
113.	Opposite Drive End Bearing Temps U	nder Full Load	
	5 Minutes	10 Minutes	15 Minutes
114.	Final Test Run Sign-Off		
115.	Document Final Condition With Picture	es	
116.	Final QC Sign-Off		



STANDARD TERMS AND CONDITIONS FOR PURCHASE OF GOOD AND/OR SERVICES

- 1. <u>APPLICABILITY.</u> The sale of any and all goods and/or services by Mock, Inc. d/b/a Hi-Speed Industrial Service ("Hi-Speed") shall be specifically conditioned upon and subject to the following terms and conditions which are incorporated by reference into any contracts and purchase orders with Hi-Speed, and which shall form and become a part of any agreement related thereto. Buyer's acceptance of any offer or quotation made by Hi-Speed for sale of any goods or services is expressly made subject to the terms and conditions set forth herein and to be so effective, Buyer need not sign or approve these Terms and Conditions to be bound hereunder provided a copy of same is provided to Buyer through any means. None of the terms and conditions contained herein may be added to, expanded, changed, modified, superseded or otherwise altered except as revised in writing and duly executed by Hi-Speed, and all orders received by Hi-Speed shall be governed only by the terms and conditions contained herein, notwithstanding any terms, conditions or provisions of any purchase order, release order, authorization or any other form issued by the Buyer. Hi-Speed hereby objects to any additional, modified, changed, deleted, altered or other terms and conditions not contained herein and notifies Buyer that any such terms or provisions are expressly rejected by Hi-Speed.
- 2. PRICE. All quoted prices shall remain firm and binding for a period of thirty (30) days from the date of quotation or for the period specifically stated in the quotation. The price for any and all goods and/or services ordered or approved by Buyer after thirty (30) days from the date of any quotation are subject to any increase in price that may occur after the expiration of thirty (30) days from the issuance of the quotation and the date the Buyer releases any shipment.
- 3. <u>SCOPE OF GOODS AND/OR SERVICES.</u> The goods and/or services provided by Hi-Speed pursuant to any quotation shall be limited exclusively to those goods and/or services expressly identified therein. Hi-Speed does not assume any responsibility and/or liability for the failure to provide any other goods and/or services not identified in any quotation. Modifications, additions or deletions to or from the scope referenced in any quotation shall only be effective if evidenced in writing and signed by Hi-Speed. The sale of any of all goods and/or services affected by such modification, addition or deletion shall be subject to these same Standard Terms and Conditions whether or not referenced therein.
- 4. <u>BILLING AND PAYMENT TERMS.</u> Hi-Speed shall invoice Buyer for all goods and/or services as same are rendered at the address listed on the quotation. Payments for all goods and/or services shall be due thirty (30) days from the date of the current invoice or as otherwise set forth in the quotation. Late payments are subject to a late fee of 5% of the total invoice amount. Recurring late payments may lead to a deposit requirement on future services or sale of goods. Buyer shall be liable to Hi-Speed for any and all fees and expenses incurred by Hi-Speed to collect any invoices or to enforce these Standard Terms and Conditions, including but not limited to, attorney's fees.
- 5. DELIVERY OF GOODS AND/OR SERVICES. Unless otherwise identified in the quotation, all shipments are F.O.B. Hi-Speed's warehouse and the title to and all risk of loss with respect to any goods shipped shall pass to Buyer when such goods are delivered to the carrier at Hi-Speed's warehouse. Hi-Speed will use its best efforts to affect delivery by the date or dates specified in the quotation. However, Hi-Speed shall not be liable for delay in or failure to make shipment, or to perform services, by any identified date for any reason whatsoever, including but not limited to, causes beyond its reasonable control, such as strikes, fires, floods, epidemics, quarantines, restrictions, severe weather, embargos, acts of God, or public enemy, war, riot, delays in transportation or the inability to obtain necessary labor, materials or manufacturing facilities.
- 6. DELIVERY SITE AND TIME FOR PERFORMANCE. Hi-Speed and Buver agree that time is of the essence for the purchase order and that Buyer shall fully cooperate with Hi-Speed in order to allow Hi-Speed full access to prosecute its work diligently and in an orderly manner. Buyer shall assist Hi-Speed in every way possible to avoid delaying, disrupting or interfering with the progress of Hi-Speed's work at the project site. In the event Hi-Speed's work is delayed, hindered, suspended, disrupted, re-sequenced or interfered with or rendered less efficient or more costly or adversely affected in any way as a result of acts or omissions of Buyer or other contractors or employees of Buyer or by any other reason beyond Hi-Speed's control and without the fault of Hi-Speed, then, in such event, Buyer shall be liable to Hi-Speed for any damages, additional costs, expenses, labor, materials, man hours, acceleration costs, overtime, additional jobsite overhead, extended home office overhead, and any and all other direct and indirect expenses of whatsoever nature or kind, caused in whole or in part, as a result of any of the above-referenced occurrences. Hi-Speed's project records will be the basis for computing the additional costs and damages of Hi-Speed's labor, materials, expenses and overhead related to such changes. BUYER WARRANTS THAT THE SITE FOR DELIVERY OR INSTALLATION OF ANY GOODS AND/OR FOR THE PERFORMANCE OF ANY SERVICES SHALL BE READY AND ADEQUATE FOR HI-SPEED'S DELIVERY OF GOODS AND/OR PERFORMANCE OF SERVICES AND THAT HI-SPEED SHALL HAVE FULL ACCESS THERETO, FREE OF ALL OBSTRUCTIONS. BUYER SHALL ASSUME ALL EXTRA COSTS ASSOCIATED WITH HI-SPEED'S INABILITY TO INSTALL ANY GOODS OR PERFORM ANY SERVICES AS A RESULT OF BUYER'S FAILURE TO COMPLY WITH THIS PROVISION. HI-SPEED MAY NOT INSPECT THE SITE PRIOR TO DELIVERY AND/OR INSTALLATION OF GOODS AND/OR PERFORMANCE OF SERVICES AND MAKES NO WARRANTY AS TO THE SUFFICIENCY OF THE SITE FOR THE DELIVERY AND/OR INSTALLATION OF GOODS AND/OR THE PERFORMANCE OF SERVICES AT SUCH SITE.
- 7. INSPECTION/ACCEPTANCE. All goods and services ordered pursuant to any quotation shall be subject to inspection by Buyer after delivery or performance to determine conformity with the quotation and/or purchase order and Hi-Speed's advertised or published specifications. Buyer shall have a period of thirty (30) days from shipment of goods at the delivery destination specified in the quotation within which to inspect the goods for conformity with the quotation, order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. Buyer shall have a period of thirty (30) days following completion of any services within which to inspect the services for conformity with the quotation, purchase order and/or Hi-Speed's advertised and published specifications and to provide Hi-Speed with written notice of any discrepancy or rejection. If the goods delivered or services performed do not so conform, upon delivery of notice to Hi-Speed of any discrepancy, nonconformance or rejection, Hi-Speed shall have the right to reject such goods or services. After the cure period, goods that have been delivered and rejected, in whole or in part, shall be returned to Hi-Speed. Buyer shall notify Hi-Speed and arrange for the return of the goods as required. Should such non-conforming services be rejected Hi-Speed shall, at its sole cost, re-perform the non-conforming services. Inspection or failure to inspect on any occasion shall not affect Buyer's rights under the warranty provisions herein.
- 8. WARRANTIES. Hi-Speed warrants that all goods shall conform in all material aspects to the goods identified in the quotation to Buyer and/or purchase order, and Hi-Speed makes to Buyer the manufacturer's express warranty for any goods sold to Buyer, which is offered by the manufacturer at the time of acceptance of any quotation by Buyer. This warranty is conditioned upon the installation, operation, and maintenance of the goods in accordance with the manufacturer's recommendations and/or standard industry practice and the goods at all times being operated or used under normal operating conditions for which they were designed. Hi-Speed, at its sole option, will repair or

TermsAndConditions

replace any defective or non-conforming goods in accordance with the applicable manufacturer's warranty. Warranty for any defective or incorrect parts is limited to the repair or replacement of those parts. Hi-Speed warrants that all services will conform in all material respects to the description of services identified in the quotation and will be performed in a good and workmanlike manner in accordance with industry practices and standards. Should the services be reasonably rejected or not conform with the foregoing warranties, Hi-Speed shall, at its sole cost, re-perform the defective or nonconforming services. Notwithstanding the foregoing, these warranties do not extend to goods or services to the extent that such goods have been subject to misuse, neglect or abuse not caused by Hi-Speed or have been used in violation of the approved written instructions furnished to Buyer. THE FOREGOING REPRESENTS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY HI-SPEED WITH RESPECT TO ALL GOODS SOLD AND IS IN LIEU OF ALL OTHER WARRANTIES EITHER EXPRESS OR IMPLIED. HI-SPEED EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICLAR USE OR PURPOSE. BUYER WAIVES ANY CLAIM THAT THESE EXCLUSIONS OR LIMITATIONS DEPRIVE IT OF AN ADEQUATE REMEDY AT EQUITY OR LAW OR CAUSE THIS AGREEMENT TO FAIL IN ITS ESSENTIAL PURPOSE. BUYER SHALL BE ENTITLED TO NO OTHER REMEDY OTHER THAN AS SET FORTH HEREIN, REGARDLESS OF THE CLAIM OR CAUSE OF ACTION, WHETHER BASED IN CONTRACT, TORT, NEGLIGENCE, GOODS LIABILITY, STRICT LIABILITY OR OTHERWISE.

- 9. LIMITATION OF DAMAGES. HI-SPEED SHALL HAVE NO LIABILITY TO BUYER WITH RESPECT TO THE SALE OR DELIVERY OF ANY GOODS OR THE REPAIR THEREOF OR WITH RESPECT TO THE SALE OR PERFORMANCE OF ANY SERVICES, FOR LOST PROFITS, SPECIAL, CONSEQUENTIAL, EXEMPLARY, PUNITIVE OR INCIDENTAL DAMAGES OF ANY KIND OR NATURE WHETHER ARISING IN CONTRACT, TORT, GOODS LIABILITY OR OTHERWISE, EVEN IF HI-SPEED WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. HI-SPEED SHALL NOT BE LIABLE FOR ANY DAMAGES OR DELAYS CAUSED BY ANY FAILURE TO MAKE ANY DELIVERY OF GOODS BY ANY EXPECTED TIME OR DATE OR THE FAILURE TO PROVIDE OR COMPLETE ANY SERVICES BY ANY EXPECTED DATE OR TIME. IN NO EVENT SHALL HI-SPEED BE LIABLE TO BUYER FOR ANY DAMAGES WHATSOEVER IN EXCESS OF THE TOTAL PRICE PAID FOR ALL GOODS AND/OR SERVICES HEREUNDER OR REFERENCED IN ANY QUOTATION OR THE PURCHASE ORDER.
- 10. <u>SEVERABILITY</u>. The partial or complete invalidity of any provision of these Standard Terms and Conditions shall not affect the enforceability of the remainder of these Standard Terms and Conditions. If any provision is found to be invalid or unenforceable, that portion shall be modified to make it enforceable or shall be stricken and the remainder of these Standard Terms and Conditions shall enforced.
- 11. <u>GOVERNING LAW AND JURISDICTION.</u> Any controversy arising out of any quotation, the purchase order, the goods sold or delivered, repair or replacement thereof, or any services provided pursuant to any quotation or any purchase order, or these Standard Terms and Conditions shall be governed by the laws of the state of Tennessee without regard to any choice of law provisions and any cause of action related in any manner thereto shall be brought only in the state or federal courts of Shelby County, Tennessee.
- 12. <u>ABANDONED EQUIPMENT.</u> Hi-Speed requires that Buyer promptly pick up or provide shipment instructions for Buyer equipment or other Buyer property in Hi-Speed's possession. If equipment or other Buyer property is left with Hi-Speed and not picked up within six (6) months after Hi-Speed's final action related to the applicable property (e.g. evaluation, teardown, estimate, completion of services), Hi-Speed will consider such property abandoned and may dispose of it in accordance with applicable law. Buyer agrees to hold Hi-Speed harmless for any damage or claim for such abandoned property and acknowledges that Hi-Speed may discard or recycle it at Hi-Speed's sole and absolute discretion. Specifically, Hi-Speed may sell Buyer's abandoned property at a private or public sale and retain the proceeds to offset Hi-Speed's storage, inspection and servicing costs. For the avoidance of doubt, Hi-Speed reserves its statutory and other lawful liens for unpaid charges related to abandoned property.
- 13. FORCE MAJEURE. Neither party shall be responsible for any delay or failure in performance of any party of the quotation, purchase order or these Standard Terms and Conditions to the extent that such delays or failures are caused by fire, flood, earth quake, explosion, war, embargo, government requirement, civil or military authority, acts of God, or any other circumstances beyond its reasonable control and not involving any fault or negligence on the party affected ("Condition"). If any such Condition occurs, the party delayed or unable to perform shall promptly give written notice to the other party and, if such Condition remains at the end of thirty (30) days, the party affected by the other party's delay and inability to perform may elect to (i) terminate such order or part thereof, or (ii) suspend the order for the duration of the Condition, if the Buyer is the suspending party, buy elsewhere comparable material to be sold under the order and apply to any commitment the purchase price of such purchase, and resume performance of the order once the Condition ceases, with an option in the affected party to extend the period of this order up to the length of the time the Condition endures.
- 14. <u>NONWAIVER</u>. No course of dealing or failure of either party to strictly enforce any term, right, or condition of these Standard Terms and Conditions will be construed as a waiver of such term, right or condition. Any waiver by Hi-Speed will only be in writing and will waive no succeeding breach of a term, right or condition.
- 15. <u>ASSIGNMENT.</u> The rights and obligations of the parties shall neither be assigned nor delegated without the prior written consent of the other party. However, any party may assign or delegate its respective rights and obligations, in whole or in part, (i) to any subsidiary, (ii) pursuant to other financing, merger or reorganization or (iii) pursuant to any sale or transfer of substantially all of the assets of the assigning party. These Standard Terms and Conditions shall bind the heirs, successors and assigns of the parties hereto.
- 16. <u>NO INDIVIDUAL LIABILITY</u>. Notwithstanding any other agreement to the contrary, the Buyer agrees that in no event will the Buyer hold and HI-Speed owner, director, officer or employee personally liable for unintentional tortious conduct or conduct that constitutes the breach of any contract between HI-Speed and the Buyer, even if the HI-Speed owner, director, officer or employee is or could be construed to be a party to such contract.